

Data sheet

1466.0 PZU 35



Crimping tool for crimping wire-end ferrules with and without plastic collars. Cross-section range: 25 + 35 mm². Easy to use, Auto-lock for proper and complete crimping, Wire can be fed in from the side, Self-opening with built-in spring.

Business data

Article number	<u>1466.0</u>
Article name	PZU 35
GTIN (EAN)	4044211045128
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	557 g
Weight per piece (including packaging)	635 g
Unit of weight	G
Customs number	82032000
Country of origin	DE
Product description	Crimping tool

Technical data

Dimensions

Length	225 mm
--------	--------

Application

Crimp shape	Trapezoidal crimp
-------------	-------------------

Crimping range, min.	25 mm ²
----------------------	--------------------

Crimping range, max.	35 mm ²
----------------------	--------------------

Crimping range AWG, min.	3
--------------------------	---

Crimping range AWG, max.	2
--------------------------	---

Wire-end ferrule cross-section, min.	25 mm ²
--------------------------------------	--------------------

Max wire-end ferrule cross-section	35 mm ²
------------------------------------	--------------------

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2024-01-23
----------------------	------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

Accessories
