


15473.2

WE-10DI



Webeasy I/O digital input module, 10 digital inputs 24VAC/DC with LED display, Mounting type: Mounting rail TS 35, Supply voltage range: 20 V - 28 VAC/DC

Business data

Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	121 g
Weight per piece (including packaging)	161 g
Unit of weight	G
Customs number	85423190
Country of origin	NL
Product description	Controller module

15473.2

WE-10DI

Technical data


Connection data















Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm ²
Wire cross-section single-core (rigid), max.	4 mm ²
Wire cross-section stranded, min.	0.2 mm ²
Wire cross-section stranded, max.	4 mm ²
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm ²
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm ²
Stripping length	6 mm
Torque	0.4 Nm

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2021-07-08
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



1	2	3	4	5	+	+	+	+		
 Gn Rd	 Gn Rd	 Gn Rd	 Gn Rd	 Gn Rd						
 A1	INTERNAL BUS WE-10DI						INTERNAL BUS		A1	—C
 A2									A2	—C
 A									A	—C
 B									B	—C
 Gn Rd	 Gn Rd	 Gn Rd	 Gn Rd	 Gn Rd						
6	7	8	9	10	—	—	—	—		

Accessories
