


## 15745.2 WE-CON



Control module, Voltage: 24 V AC / DC

### Business data

Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	96 g
Weight per piece (including packaging)	135 g
Unit of weight	G
Customs number	85423190
Country of origin	NL
Product description	Controller module

---

### Technical data

---

#### Connection data

---

Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm <sup>2</sup>
Wire cross-section single-core (rigid), max.	4 mm <sup>2</sup>
Wire cross-section stranded, min.	0.2 mm <sup>2</sup>
Wire cross-section stranded, max.	4 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm <sup>2</sup>
Stripping length	6 mm
Torque	0.4 Nm


#### Environmental Product Compliance

---

REACH Conform	yes
REACH Reference date	2021-07-08
REACH Candidate Substance Note	No
RoHS Conform	yes

## 15745.2 WE-CON

### Media



PE	PE	A1	A1	A2	A2	
24V AC/DC						
WE-CON (-R)					INTERNAL BUS	A1 -C
						A2 -C
						A -C
						B -C
BUS IN			BUS OUT			
A	B	A2	A2	B'	A'	

---

### Accessories

---