

## 16160.2

## WE-FANCOIL-ST

di1	di2	di3	di4	OV	OV	L1	⊕	N	
						230V IN			
						WIELAND GST18/ SCREW (-ST)			
INTERNAL BUS	A1	WE-FANCOIL (-ST)						INTERNAL BUS	A1 -C
INTERNAL BUS	A2							INTERNAL BUS	A2 -C
INTERNAL BUS	A							INTERNAL BUS	A -C
INTERNAL BUS	B							INTERNAL BUS	B -C
						WIELAND GST18/ SCREW (-ST)			
						230V OUTPUT			
		1	2	⊕	N	3			



Webeasy I/O Fancoil control module, 4 digital inputs, 3 relay outputs, If the bus connection fails, the outputs switch to preset, Mounting type: Mounting rail TS 35, Supply voltage range: 20 V - 28 VAC/DC

### Business data

Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	168 g
Weight per piece (including packaging)	208 g
Unit of weight	G
Customs number	85423190
Country of origin	NL
Product description	Controller module

---

### Technical data

---

#### Connection data

---

Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm <sup>2</sup>
Wire cross-section single-core (rigid), max.	4 mm <sup>2</sup>
Wire cross-section stranded, min.	0.2 mm <sup>2</sup>
Wire cross-section stranded, max.	4 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm <sup>2</sup>
Stripping length	6 mm
Torque	0.4 Nm

#### Environmental Product Compliance


---

REACH Conform	yes
REACH Reference date	2021-07-08
REACH Candidate Substance Note	No
RoHS Conform	yes

---

### Media

---



---

### Accessories

---