



External insulated cross-connector, No. of poles: 3, Mounting type: Plug in, Width: 14.36 mm, Rated current: 27 A; Colour: Yellow

**RAL:** 1026

### Business data

|  |                                    |
|--|------------------------------------|
| Article number                             | 2033.0                             |
| Article name                               | AQI 3/5/11 YE                      |
| GTIN (EAN)                                 | 4044211048358                      |
| Packaging unit                             | 50                                 |
| Quantity unit                              | PC                                 |
| Weight per piece (not including packaging) | 0.84 g                             |
| Weight per piece (including packaging)     | 0.85 g                             |
| Unit of weight                             | G                                  |
| Customs number                             | 85389099                           |
| Country of origin                          | DE                                 |
| Product description                        | External insulated cross-connector |
| Colour                                     | Yellow                             |

### Technical data

#### Dimensions

|       |          |
|-------|----------|
| Width | 14.36 mm |
|-------|----------|

|            |      |
|------------|------|
| Pitch size | 5 mm |
|------------|------|

#### Ratings

|               |      |
|---------------|------|
| Rated current | 27 A |
|---------------|------|

|                      |   |
|----------------------|---|
| Contamination degree | 3 |
|----------------------|---|

#### Connection data

|              |   |
|--------------|---|
| No. of poles | 3 |
|--------------|---|

#### Materials

|          |        |
|----------|--------|
| Material | Copper |
|----------|--------|

|         |            |
|---------|------------|
| Surface | Tin-plated |
|---------|------------|

|                    |               |
|--------------------|---------------|
| Insulation housing | Polyamide 6.6 |
|--------------------|---------------|

|                          |     |
|--------------------------|-----|
| Flammability class UL 94 | V-2 |
|--------------------------|-----|

|                           |        |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
|---------------------------|--------|

|                           |        |
|---------------------------|--------|
| Working temperature, max. | 105 °C |
|---------------------------|--------|

#### Further technical data

|               |         |
|---------------|---------|
| Mounting type | Plug in |
|---------------|---------|

|                      |   |
|----------------------|---|
| Insulation available | ✓ |
|----------------------|---|

|                               |   |
|-------------------------------|---|
| Touch protection is available | ✓ |
|-------------------------------|---|

|                             |   |
|-----------------------------|---|
| Number of bridged terminals | 3 |
|-----------------------------|---|

#### Environmental Product Compliance

|               |     |
|---------------|-----|
| REACH Conform | Yes |
|---------------|-----|

|                      |            |
|----------------------|------------|
| REACH Reference date | 2024-06-27 |
|----------------------|------------|

|                                |    |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

|              |     |
|--------------|-----|
| RoHS Conform | Yes |
|--------------|-----|

---

### Media

---

### Accessories

#### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name      | GTIN (EAN)    | Packaging unit |
|------------------------|-------------------|---------------|----------------|
| <a href="#">1337.2</a> | BKA 2,5/3 e.B. BG | 4044211043858 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name       | GTIN (EAN)    | Packaging unit |
|------------------------|--------------------|---------------|----------------|
| <a href="#">1342.2</a> | BKA 2,5/10 e.B. BG | 4044211043902 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name       | GTIN (EAN)    | Packaging unit |
|------------------------|--------------------|---------------|----------------|
| <a href="#">1349.2</a> | BKA 2,5/20 e.B. BG | 4044211043971 | 10 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name       | GTIN (EAN)    | Packaging unit |
|------------------------|--------------------|---------------|----------------|
| <a href="#">1362.2</a> | BKA 2,5/16 b.B. BG | 4044211044107 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name      | GTIN (EAN)    | Packaging unit |
|------------------------|-------------------|---------------|----------------|
| <a href="#">1336.2</a> | BKA 2,5/2 e.B. BG | 4044211043841 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name       | GTIN (EAN)    | Packaging unit |
|------------------------|--------------------|---------------|----------------|
| <a href="#">1348.2</a> | BKA 2,5/18 e.B. BG | 4044211043964 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1356.2</u>  | BKA 2,5/8 b.B. BG | 4044211044046 | 20             |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1357.2</u>  | BKA 2,5/10 b.B. BG | 4044211044053 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1323.2</u>  | BKA 2,5/4 BG | 4044211043278 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1324.2</u>  | BKA 2,5/5 BG | 4044211043360 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1334.2</u>  | BKA 2,5/20 BG | 4044211043827 | 10 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1326.2</u>  | BKA 2,5/8 BG | 4044211043568 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1331.2</u>  | BKA 2,5/15 BG | 4044211043797 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1333.2</u>  | BKA 2,5/18 BG | 4044211043810 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1360.2</u>  | BKA 2,5/14 b.B. BG | 4044211044084 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1361.2</u>  | BKA 2,5/15 b.B. BG | 4044211044091 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1363.2</u>  | BKA 2,5/18 b.B. BG | 4044211044114 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1365.2</u>  | BKA 2,5/24 b.B. BG | 4044211044138 | 10 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1325.2</u>  | BKA 2,5/6 BG | 4044211043476 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1329.2</u>  | BKA 2,5/13 BG | 4044211043773 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1344.2</u>  | BKA 2,5/13 e.B. BG | 4044211043926 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1347.2</u>  | BKA 2,5/16 e.B. BG | 4044211043957 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1364.2</u>  | BKA 2,5/20 b.B. BG | 4044211044121 | 10 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1335.2</u>  | BKA 2,5/24 BG | 4044211043834 | 10 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1338.2</u>  | BKA 2,5/4 e.B. BG | 4044211043865 | 50             |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1346.2</u>  | BKA 2,5/15 e.B. BG | 4044211043940 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1351.2</u>  | BKA 2,5/2 b.B. BG | 4044211043995 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1353.2</u>  | BKA 2,5/4 b.B. BG | 4044211044015 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1354.2</u>  | BKA 2,5/5 b.B. BG | 4044211044022 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1359.2</u>  | BKA 2,5/13 b.B. BG | 4044211044077 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1321.2</u>  | BKA 2,5/2 BG | 4044211043070 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1330.2</u>  | BKA 2,5/14 BG | 4044211043780 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1339.2</u>  | BKA 2,5/5 e.B. BG | 4044211043872 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1327.2</u>  | BKA 2,5/10 BG | 4044211043650 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1332.2</u>  | BKA 2,5/16 BG | 4044211043803 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1345.2</u>  | BKA 2,5/14 e.B. BG | 4044211043933 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1350.2</u>  | BKA 2,5/24 e.B. BG | 4044211043988 | 10 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1328.2</u>  | BKA 2,5/12 BG | 4044211043742 | 20 ST          |



Ex feed-through terminal for direct mount ATEX-certified, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>1405.2</u>  | BKA 2,5/1 Ex BG | 4044211044527 | 100            |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1320.2</u>  | BKA 2,5/1 BG | 4044211042967 | 100            |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1322.2</u>  | BKA 2,5/3 BG | 4044211043186 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1341.2</u>  | BKA 2,5/8 e.B. BG | 4044211043896 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1352.2</u>  | BKA 2,5/3 b.B. BG | 4044211044008 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1358.2</u>  | BKA 2,5/12 b.B. BG | 4044211044060 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1355.2</u>  | BKA 2,5/6 b.B. BG | 4044211044039 | 50             |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1329.2</u>  | BKA 2,5/13 BG | 4044211043773 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1334.2</u>  | BKA 2,5/20 BG | 4044211043827 | 10 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1324.2</u>  | BKA 2,5/5 BG | 4044211043360 | 50 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1357.2</u>  | BKA 2,5/10 b.B. BG | 4044211044053 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1364.2</u>  | BKA 2,5/20 b.B. BG | 4044211044121 | 10 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1342.2</u>  | BKA 2,5/10 e.B. BG | 4044211043902 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1353.2</u>  | BKA 2,5/4 b.B. BG | 4044211044015 | 50 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1358.2</u>  | BKA 2,5/12 b.B. BG | 4044211044060 | 20 ST          |