

Insulated cross-connector, No. of poles: 20, Mounting type: Plug in, Width: 69.1 mm, Colour: Blue

RAL: Ähnlich 5005

Business data

Article number	27131.5
Article name	PQI 1,5/20 BU
GTIN (EAN)	4044211234317
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	6.8 g
Weight per piece (including packaging)	7.62 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Prio-Article	27131.9
Product description	Insulated cross-connector

Data sheet 27131.5 PQI 1,5/20 BU



Technical data

Dimensions	
Length	3.2 mm
Width	69.1 mm
Height	14.5 mm
Pitch size	3.5 mm
Ratings	
Max. voltage	500 V
Rated current	17.5 A
Current load, max.	17,5 A
Rated cross-section	1.5 mm ²
Contamination degree	3
Connection data	
No. of poles	20
Materials	
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	20
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet 27131.5 PQI 1,5/20 BU

Media



Data sheet 27131.5 PQI 1,5/20 BU

ZCONTACLIP

Accessories

##INVERSE##CONTA-CONNECT

	Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,					
	Rated cross-se	Rated cross-section: 1.5 mm ² , Width: 3.5 mm, Colour: Green-yellow				
	Article number	Article name	GTIN (EAN)	Packaging unit		
	27001.2	PSL 1,5/2A GNYE	4044211223687	50 ST		
	Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,					
	Rated cross-section: 1.5 mm ² , Width: 3.5 mm, Colour: Green-yellow					
	Article number	Article name	GTIN (EAN)	Packaging unit		
	27003.2	PSL 1,5/3A GNYE	4044211223724	50 ST		
	Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,					
22 60	Rated cross-section: 1.5 mm ² , Width: 3.5 mm, Colour: Green-yellow					
	Article number	Article name	GTIN (EAN)	Packaging unit		
	27005.2	PSL 1,5/4A GNYE	4044211223762	50 ST		

##INVERSE##CONTA-CONNECT



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27001.2	PSL 1,5/2A GNYE	4044211223687	50 ST