Data sheet

28813.6 KES-E 18/24 A GR

Cable entry with membrane for unassembled cables, Mounting type: Snap-in, Length: 142 mm, Width: 44 mm, IP64, Colour: Grey

RAL: Ähnlich 7035

Business data

Article number	28813.6
Article name	KES-E 18/24 A GR
GTIN (EAN)	4044211234126
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	41.55 g
Weight per piece (including packaging)	42.43 g
Unit of weight	G
Customs number	39259020
Country of origin	DE
Product description	Cable Entry
Colour	Grey

Data sheet

28813.6 KES-E 18/24 A GR

Technical data

Dimensions

Length	142 mm
Lenght of wall cutout	112 mm
Width	44 mm
Width of wall cutout	36 mm
Height	12 mm
Installation height	5 mm

Materials

Material	TPE
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	90 °C
Sealing material	TPE
Halogen-free	✓
Silicone-free	✓

Further technical data

Mounting type	Snap-on
Degree of protection	IP54
Sheet thickness min.	1.5 mm
Sheet thickness max.	2.5 mm
NEMA Type	1, 12
Number of wires	18
Number of cables for cable diameters 1.0 - 6.5 mm	4
Number of cables for cable diameters 1.0 - 10.5 mm	5
Number of cables for cable diameters 1.0 - 12.5 mm	5
Number of cables for cable diameters 1.0 - 16.1 mm	4

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet

28813.6 KES-E 18/24 A GR

Approvals

cUL Recognized	
cUL approval	C22.2 No. 14-18
cUL File Number	E489821
cUL Recognized	1

UL Recognized	
UL approval	UL 508A
UL File Number	E489821
UL Recognized	1
UL Type Rating	1, 12

Data sheet

28813.6 KES-E 18/24 A GR

Media





Accessories