

## 3086.0 H 4,0/19,5 KS GR

Wire-end ferrules, Max. wire cross-section: 4 mm<sup>2</sup>, Length: 19.5 mm, Length of copper pipe: 10 mm, Colour: Grey

**RAL:** Ähnlich 7035

### Business data

Article number	3086.0
Article name	H 4,0/19,5 KS GR
GTIN (EAN)	4044211057916
Packaging unit	100
Quantity unit	PC
Weight per piece (not including packaging)	0.4 g
Weight per piece (including packaging)	0.41 g
Unit of weight	G
Customs number	85369010
Country of origin	DE
Product description	Ferrules
Colour	Grey

### Technical data

#### Dimensions

Length	19.5 mm
Length of copper pipe	10 mm
Diameter of copper pipe	2.9 mm
Diameter plastic collar	7.3 mm
Wall thickness of copper pipe	0.2 mm
Wall thickness of plastic collar	0.3 mm

#### Connection data

Wire cross-section, max.	4 mm <sup>2</sup>
Wire cross-section AWG, max.	12
Stripping length	10 mm

#### Materials

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer
Working temperature, min.	-5 °C
Working temperature, max.	105 °C

#### Further technical data

Insulation available	✓
----------------------	---

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

# Data sheet

3086.0 H 4,0/19,5 KS GR



---

## Approvals

---

### Standards and regulations

---

DIN 46228-4:1990	yes
------------------	-----

---

# Data sheet

3086.0 H 4,0/19,5 KS GR



---

Media

---

# Data sheet

3086.0 H 4,0/19,5 KS GR



---

## Accessories

---