

3096.0

H 0,25/5



Wire-end ferrules, Max. wire cross-section: 0.25 mm<sup>2</sup>, Length: 5 mm, Colour: natural

## Business data

Packaging unit	1000
Quantity unit	PC
Weight per piece (not including packaging)	0.01 g
Weight per piece (including packaging)	0.02 g
Unit of weight	G
Customs number	85369010
Country of origin	DE
Product description	Ferrules

3096.0

H 0,25/5

---

## Technical data

---

### Dimensions

---

Length	5 mm
Length of copper pipe	5 mm
Diameter of copper pipe	0.85 mm
Diameter of feed-in funnel	1.65 mm
Wall thickness of copper pipe	0.15 mm

### Connection data

---

Wire cross-section, max.	0.25 mm <sup>2</sup>
Wire cross-section AWG, max.	24
Stripping length	5 mm

### Materials

---

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Working temperature, max.	120 °C

### Print

---

Colour	Natural
--------	---------

### Environmental Product Compliance

---

REACH Conform	yes
REACH Reference date	2021-07-08
REACH Candidate Substance Note	No
RoHS Conform	yes

3096.0

H 0,25/5

---

## Approvals

---

### Standards and regulations

---

DIN 46228-1:1992

yes

---

3096.0

H 0,25/5

---

## Accessories

---