



Crimping tool for crimping wire-end ferrules with and without plastic collars. Cross-section range: 0.5-6 mm² (AWG 2-10). Easy to use, Auto-lock for proper and complete crimping, Wires fed in from the front, Self-opening with built-in spring.

Business data

Article number	<u>3135.0</u>
Article name	PZD 3
GTIN (EAN)	4044211078898
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	371.8 g
Weight per piece (including packaging)	446.2 g
Unit of weight	G
Customs number	82032000
Country of origin	SE
Product description	Crimping tool

Technical data

Dimensions

Length	197 mm
--------	--------

Application

Crimp shape	Square crimp
-------------	--------------

Crimping range, min.	0.5 mm ²
----------------------	---------------------

Crimping range, max.	6 mm ²
----------------------	-------------------

Crimping range AWG, min.	2
--------------------------	---

Crimping range AWG, max.	10
--------------------------	----

Wire-end ferrule cross-section, min.	0.5 mm ²
--------------------------------------	---------------------

Max wire-end ferrule cross-section	6 mm ²
------------------------------------	-------------------

Environmental Product Compliance

REACH Conform	Yes
---------------	-----

REACH Reference date	2024-06-27
----------------------	------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	Yes
--------------	-----

Media

Accessories
