



Device and installation markers / Maxicard, Length: 20 mm, Width: 7 mm, Colour: White

RAL: 9010

Business data

| | |
|--|---|
| Article number | <u>3329.7</u> |
| Article name | MC GS 7/20 R WH |
| GTIN (EAN) | 4044211122515 |
| For manufacturer type | Siemens/ifm-electronic |
| Packaging unit | 200 |
| Quantity unit | PC |
| Number of markers per card | 40 ST |
| Number of markers per row | 5 ST |
| Weight per piece (not including packaging) | 0.38 g |
| Weight per piece (including packaging) | 0.52 g |
| Unit of weight | G |
| Customs number | 39269097 |
| Country of origin | DE |
| Prio-Article | 3329.7 |
| Product description | Device and installation marker / Maxicard |

Technical data

Dimensions

| | |
|--------|-------|
| Length | 20 mm |
|--------|-------|

| | |
|-------|------|
| Width | 7 mm |
|-------|------|

Materials

| | |
|-----------------|---------------|
| Marker material | Polyamide 6.6 |
|-----------------|---------------|

| | |
|--------------------------|-----|
| Flammability class UL 94 | V-2 |
|--------------------------|-----|

| | |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
|---------------------------|--------|

| | |
|---------------------------|--------|
| Working temperature, max. | 105 °C |
|---------------------------|--------|

| | |
|--------------|---|
| Halogen-free | ✓ |
|--------------|---|

Print

| | |
|----------------------------------|----|
| Number of characters, horizontal | 14 |
|----------------------------------|----|

| | |
|---|---|
| Rows when using font size 1.4 and plotter pen 0.25, horizontally aligned text | 4 |
|---|---|

| | |
|--------------------------------|---|
| Number of characters, vertical | 5 |
|--------------------------------|---|

| | |
|---|---|
| Rows when using font size 1.4 and plotter pen 0.25, vertically aligned text | 5 |
|---|---|

Environmental Product Compliance

| | |
|---------------|----------|
| REACH Conform | Yes, yes |
|---------------|----------|

| | |
|----------------------|------------------------|
| REACH Reference date | 2024-06-27, 2024-06-27 |
|----------------------|------------------------|

| | |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

| | |
|--------------|----------|
| RoHS Conform | Yes, yes |
|--------------|----------|

Data sheet

3329.7 MC GS 7/20 R WH



Media

Accessories

Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2034.0</u> | BS-1 | 4044211048365 | 10 ST |

Inlays



Plotter inlay

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1606.0</u> | CCI-10 | 4044211103224 | 1 ST |

##INVERSE##CONTA-LABEL



Cable marker sleeve, Length: 33 mm, Width: 6 mm, Colour: Transparent, Print:

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2383.0</u> | KSH 6/33 | 4044211124069 | 100 ST |