

# Data sheet

## 3702.5 ZAP 2,5/4A BU



End plate, Width: 2 mm, Colour: Blue

**RAL:** Ähnlich 5005

### Business data

|                                            |               |
|--------------------------------------------|---------------|
| Article number                             | 3702.5        |
| Article name                               | ZAP 2,5/4A BU |
| GTIN (EAN)                                 | 4044211060114 |
| Packaging unit                             | 50            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 3 g           |
| Weight per piece (including packaging)     | 3.1 g         |
| Unit of weight                             | G             |
| Customs number                             | 85389099      |
| Country of origin                          | DE            |
| Prio-Article                               | 3702.2        |
| Product description                        | End plate     |

# Data sheet

## 3702.5 ZAP 2,5/4A BU



### Technical data

#### Dimensions

|        |         |
|--------|---------|
| Length | 83.6 mm |
| Width  | 2 mm    |
| Height | 30.8 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Further technical data

|                       |   |
|-----------------------|---|
| Designed as end plate | ✓ |
| Snap-on available     | ✓ |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2023-06-14 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

Media

---

### Accessories

#### ##INVERSE##CONTA-CONNECT



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3512.2</u>  | ZSL 2,5/4A GNYE | 4044211058562 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1715.2</u>  | ZSL 2,5/4A Ex GNYE | 4044211058555 | 100 ST         |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name                    | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------------|---------------|----------------|
| <u>3505.2</u>  | ZRK 2,5/2x2A/LED1(RD)/24V DC BG | 4044211058531 | 100 ST         |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name                    | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------------|---------------|----------------|
| <u>3543.2</u>  | ZRK 2,5/2x2A/LED2(RD)/24V DC BG | 4044211058845 | 100 ST         |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>1706.2</u>  | ZRK 2,5/4A Ex BG | 4044211058463 | 100            |

# Data sheet

## 3702.5 ZAP 2,5/4A BU

##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number         | Article name    | GTIN (EAN)    | Packaging unit |
|------------------------|-----------------|---------------|----------------|
| <a href="#">3503.2</a> | ZRK 2,5/2x2A BG | 4044211058494 | 100            |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number         | Article name       | GTIN (EAN)    | Packaging unit |
|------------------------|--------------------|---------------|----------------|
| <a href="#">3504.2</a> | ZRK 2,5/2x2A/D1 BG | 4044211058524 | 100 ST         |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number         | Article name  | GTIN (EAN)    | Packaging unit |
|------------------------|---------------|---------------|----------------|
| <a href="#">3502.2</a> | ZRK 2,5/4A BG | 4044211151713 | 100            |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number         | Article name       | GTIN (EAN)    | Packaging unit |
|------------------------|--------------------|---------------|----------------|
| <a href="#">3542.2</a> | ZRK 2,5/2x2A/D2 BG | 4044211058838 | 100 ST         |