

4561.0 TS 35x15 Stahl UGL/verzinkt



DIN rail, Solid, Width: 35 mm, Height: 15 mm, Material: Steel, Colour: natural

Business data

| | |
|--|-----------------------------|
| Article number | 4561.0 |
| Article name | TS 35x15 Stahl UGL/verzinkt |
| GTIN (EAN) | 4044211107062 |
| Packaging unit | 40 |
| Quantity unit | M |
| Weight per piece (not including packaging) | 668.5 g |
| Weight per piece (including packaging) | 668.5 g |
| Unit of weight | G |
| Customs number | 72166190 |
| Country of origin | DE |
| Product description | DIN rail |
| Colour | Natural |

4561.0 TS 35x15 Stahl UGL/verzinkt

Technical data

Dimensions

| | |
|--------------|---------|
| Length | 2000 mm |
| Width | 35 mm |
| Height | 15 mm |
| Thickness | 1.5 mm |
| Unperforated | ✓ |

Ratings

| | |
|--|---|
| Max. short-circuit current | 3 kA |
| Max. allowed thermal rated current with PEN function | The usage of protective earth steel busbars is not permitted for PEN functionality! A |
| Short-circuit resistance I _p | 25 kA |

Materials

| | |
|----------|------------|
| Material | Steel |
| Surface | Galvanized |

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | Yes |
| REACH Reference date | 2024-06-27 |
| REACH Candidate Substance Note | No |
| RoHS Conform | Yes |

4561.0 TS 35x15 Stahl UGL/verzinkt

Approvals


Standards and regulations

| | |
|----------------------------|--------------|
| Standards / specifications | DIN EN 60715 |
|----------------------------|--------------|

VDE approval

| | |
|--------------|---------------------|
| VDE approval | Acc. DIN VDE 0611-3 |
|--------------|---------------------|

Media



Accessories
