

## 4562.0 TS 35x7,5 Stahl UGL/verzinkt

---



DIN rail, Solid, Width: 35 mm, Height: 7.5 mm, Material: Steel, Colour: natural

### Business data

---

Article number	<u>4562.0</u>
Article name	TS 35x7,5 Stahl UGL/verzinkt
GTIN (EAN)	4044211116712
Packaging unit	40
Quantity unit	M
Weight per piece (not including packaging)	347 g
Weight per piece (including packaging)	347 g
Unit of weight	G
Customs number	72166190
Country of origin	DE
Product description	DIN rail
Colour	Natural

## 4562.0 TS 35x7,5 Stahl UGL/verzinkt

### Technical data

#### Dimensions

Length	2000 mm
Width	35 mm
Height	7.5 mm
Thickness	1 mm
Unperforated	✓

#### Ratings

Max. short-circuit current	1.92 kA
Max. allowed thermal rated current with PEN function	The usage of protective earth steel busbars is not permitted for PEN functionality! A
Short-circuit resistance I <sub>p</sub>	16 kA

#### Materials

Material	Steel
Surface	Galvanized

#### Environmental Product Compliance

REACH Conform	Yes
REACH Reference date	2024-06-27
REACH Candidate Substance Note	No
RoHS Conform	Yes

## 4562.0 TS 35x7,5 Stahl UGL/verzinkt

---

### Approvals

---

#### Standards and regulations

---

Standards / specifications	DIN EN 60715
----------------------------	--------------

---

#### VDE approval

---

VDE approval	Acc. DIN VDE 0611-3
--------------	---------------------

---

---

### Media

---



### Accessories

---