

## 4888.7 PMC SB 4/50 FS U1,V1,W1,N,PE WH



Terminal marker / Pocket Maxicard, Length: 5 mm, Width: 4 mm, Colour: White, Print: Sequential U1,V1,W1,N,PE, Direction of print: vertical

RAL: 9010

### Business data

|                                            |                                   |
|--------------------------------------------|-----------------------------------|
| Article number                             | 4888.7                            |
| Article name                               | PMC SB 4/50 FS U1,V1,W1,N,PE WH   |
| GTIN (EAN)                                 | 4044211112820                     |
| Packaging unit                             | 500                               |
| Quantity unit                              | PC                                |
| Number of markers per card                 | 50 ST                             |
| Number of markers per row                  | 10 ST                             |
| Weight per piece (not including packaging) | 0.07 g                            |
| Weight per piece (including packaging)     | 0.1 g                             |
| Unit of weight                             | G                                 |
| Customs number                             | 49119900                          |
| Country of origin                          | DE                                |
| Product description                        | Terminal marker / Pocket Maxicard |
| Colour                                     | White                             |

### Technical data

#### Dimensions

|                |           |
|----------------|-----------|
| Length         | 5 mm      |
| Width          | 4 mm      |
| Terminal width | ≥ 4,10 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Marker material           | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |
| Halogen-free              | ✓             |

#### Print

|                                                                               |                  |
|-------------------------------------------------------------------------------|------------------|
| Printing process                                                              | Thermal transfer |
| Number of characters, horizontal                                              | 2                |
| Rows when using font size 1.6 and plotter pen 0.25, horizontally aligned text | 2                |
| Number of characters, vertical                                                | 3                |
| Rows when using font size 1.6 and plotter pen 0.25, vertically aligned text   | 1                |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | Yes        |
| REACH Reference date           | 2024-06-27 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | Yes        |

### Media

---

---

### Accessories

---

#### Labelling pen

---



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2034.0</u>  | BS-1         | 4044211048365 | 10 ST          |

---

#### Plotter

---



Plotter marking system

| Article number | Article name                     | GTIN (EAN)    | Packaging unit |
|----------------|----------------------------------|---------------|----------------|
| <u>1610.0</u>  | EMS-3 Easy-Marking-System DIN A3 | 4044211103187 | 1 ST           |

---