

# Data sheet

## 5683.3 RF SP 1 OG



Mounting foot for locking base system RS-SP 1, Enables profile to be mounted to Mounting rail TS 35 and TS 32 DIN rails, colour: orange

### Business data

Article number	5683.3
Article name	RF SP 1 OG
GTIN (EAN)	4044211068745
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	5.5 g
Weight per piece (including packaging)	5.54 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Product description	Mounting foot

# Data sheet

## 5683.3 RF SP 1 OG

---

### Technical data

---

#### Dimensions

Length	84 mm
Width	10 mm
Height	25.51 mm

#### Materials

Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

#### Further technical data

Mounting type	Plug in
---------------	---------

#### Environmental Product Compliance

REACH Conform	Yes
REACH Reference date	2024-06-27
REACH Candidate Substance Note	No
RoHS Conform	Yes

---

### Media

---


---

### Accessories

---

#### ##INVERSE##CONTA-ELECTRONICS

---



Extruded profile for locking base system, length: 2000 mm, lower part, width: 84 mm, PCB width: 68 or 73 mm,, colour: orange, Note: required profile length = PCB length - 4.5 mm

Article number	Article name	GTIN (EAN)	Packaging unit
<u>5680.3</u>	RS-SP 1 2000 mm OG	4044211068646	1 M

---