

Data sheet

5691.3 AP 2/TS OG



End plate for locking base system RS-SP 2, closes the profile when mounted with mounting foot for DIN rails, colour: orange

Business data

| | |
|--|---------------|
| Article number | 5691.3 |
| Article name | AP 2/TS OG |
| GTIN (EAN) | 4044211068820 |
| Packaging unit | 20 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 4.8 g |
| Weight per piece (including packaging) | 4.9 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Product description | End plate |

Data sheet

5691.3 AP 2/TS OG

Technical data

Dimensions

| | |
|--------|----------|
| Length | 121.9 mm |
| Width | 5 mm |
| Height | 17.6 mm |

Materials

| | |
|---------------------------|---------------|
| Material | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |

Further technical data

| | |
|---------------|--------|
| Mounting type | Screws |
|---------------|--------|

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | Yes |
| REACH Reference date | 2024-06-27 |
| REACH Candidate Substance Note | No |
| RoHS Conform | Yes |


Media

Data sheet

5691.3 AP 2/TS OG

Accessories

##INVERSE##CONTA-ELECTRONICS



Extruded profile for locking base system, length: 2000 mm, lower part, width: 119 mm, PCB width: 100 or 108 mm, colour: orange, Note: required profile length = PCB length - 4.5 mm

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>5690.3</u> | RS-SP 2 2000 mm OG | 4044211068783 | 1 M |
