



Drop-out delay timing relay, time range: 0.1 s to 1 s, Screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Supply voltage: 24 VAC/DC

Business data

| | |
|--|------------------------|
| Article number | <u>6748.2</u> |
| Article name | EG-ZMA/24 VACDC 0,1-1s |
| GTIN (EAN) | 4044211075705 |
| Packaging unit | 1 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 72.6 g |
| Weight per piece (including packaging) | 82.89 g |
| Unit of weight | G |
| Customs number | 85364900 |
| Country of origin | NL |
| Product description | Timing relay |

Technical data

Dimensions

| | |
|----------------------------|---------|
| Length | 78 mm |
| Width | 22.5 mm |
| Height TS 35 / 7.5 with BA | 84 mm |

Ratings

| | |
|----------------------|-----|
| Overvoltage category | III |
| Contamination degree | 2 |

Connection data

| | |
|--|---------------------|
| Connection principle | Screw connection |
| Wire cross-section single core (rigid), min. | 0.2 mm ² |
| Wire cross-section single-core (rigid), max. | 2.5 mm ² |
| Wire cross-section stranded, min. | 0.2 mm ² |
| Wire cross-section stranded, max. | 2.5 mm ² |
| Wire cross-section stranded with wire-end ferrules, min. | 0.2 mm ² |
| Wire cross-section stranded with wire-end ferrules, max. | 2.5 mm ² |
| Stripping length | 7 mm |

Input data

| | |
|--------------------|------|
| Power supply AC/DC | 24 V |
|--------------------|------|

Output data

| | |
|---------------|--------------|
| Relay contact | 1 CO contact |
|---------------|--------------|

Materials

| | |
|---------------------------|-------|
| Working temperature, max. | 50 °C |
|---------------------------|-------|

Further technical data

| | |
|------------------|------|
| Protection class | IP20 |
| Status display | ✓ |

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2024-01-23 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories
