



Relay holding clip, With eject, Suitable for relay socket base PRS 1 and PRS 2, for miniature power relays

Business data

| Business uata | |
|--|--------------------------------------|
| Article number | <u>15138.2</u> |
| Article name | PRS C1/2 |
| GTIN (EAN) | 4044211046217 |
| Packaging unit | 1 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 1.8 g |
| Weight per piece (including packaging) | 1.87 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | CN |
| Product description | Holding clip for encapsulated design |



| Materials | | |
|--|---------------|--|
| Working temperature, min. | -40 °C | |
| Working temperature, max. | 70 °C | |
| Storage temperature, min. | -40 °C | |
| Storage temperature, max. | 85 °C | |
| Further technical data | | |
| Holding clip suitable for relay base, type | PRS 1 / PRS 2 | |
| Environmental Product Compliance | | |
| REACH Conform | yes | |
| REACH Reference date | 2023-06-14 | |
| REACH Candidate Substance Note | No | |
| RoHS Conform | yes | |



Media



Accessories

##INVERSE##CONTA-ELECTRONICS



Relay socket base PRS, for miniature power relay with 1 CO contact, Screw connection, Plug-in option for input/suppression modules, Mounting type: Mounting rail TS 35

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>15135.2</u> | PRS 1 | 4044211046187 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 15233.2 | PRSU 2G/24V DC | 4044211046736 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 115 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>15417.2</u> | PRSU 2G/115V AC | 4044211080846 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>15791.2</u> | PRSU 2Z/24V DC | 4044211135355 | 10 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>15791.2</u> | PRSU 2Z/24V DC | 4044211135355 | 10 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 12 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 15165.2 | PRSU 2/12V DC | 4044211046446 | 10 ST |



Relay socket base PRS, for miniature power relay with 1 CO contact, Screw connection, Plug-in option for input/suppression modules, Mounting type: Mounting rail TS 35

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 15135.2 | PRS 1 | 4044211046187 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| <u>15791.2</u> | PRSU 2Z/24V DC | 4044211135355 | 10 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contact, Input voltage: 24 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 15795.2 | PRSU 2Z/24V AC | 4044211135393 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contact, Input voltage: 115 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| <u>15796.2</u> | PRSU 2Z/115V AC | 4044211135409 | 1 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 24 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>15166.2</u> | PRSU 2/24V AC | 4044211046453 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>15171.2</u> | PRSU 2/24V DC | 4044211046484 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 48 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 15411.2 | PRSU 2/48V DC | 4044211080778 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 24 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>15385.2</u> | PRSU 2G/24V AC | 4044211080815 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>15171.2</u> | PRSU 2/24V DC | 4044211046484 | 10 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 230 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 15236.2 | PRSU 2G/230V AC | 4044211046743 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 48 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>15411.2</u> | PRSU 2/48V DC | 4044211080778 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base with multi-layer gold contact, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 16125.2 | PRSU 2/24V DC Au | 4044211178192 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contact, Input voltage: 48 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 15792.2 | PRSU 2Z/48V DC | 4044211135362 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 12 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>15165.2</u> | PRSU 2/12V DC | 4044211046446 | 10 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 230 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|-------------------|
| <u>15812.2</u> | PRSU 2G/230V AC Var. | 4044211146511 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 48 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 15948.2 | PRSU 2/48V AC | 4044211141905 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base with multi-layer gold contact, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 16125.2 | PRSU 2/24V DC Au | 4044211178192 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 12 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 15165.2 | PRSU 2/12V DC | 4044211046446 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 230 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| <u>15172.2</u> | PRSU 2/230V AC | 4044211046491 | 10 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 24 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 15385.2 | PRSU 2G/24V AC | 4044211080815 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contact, Input voltage: 110 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 15794.2 | PRSU 2Z/110V DC | 4044211135386 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 12 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 15414.2 | PRSU 2G/12V DC | 4044211080808 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 12 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>15781.2</u> | PRSU 1Z/12V DC | 4044211135263 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 110 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| <u>15722.2</u> | PRSU 2/110V DC | 4044211138424 | 1 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contacts, Input voltage: 110 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 15723.2 | PRSU 2G/110V DC | 4044211138431 | 1 ST |



Relay socket base PRS, for miniature power relay with 1 CO contact, Tension-spring connection, Plug-in option for input/suppression modules, Mounting type: Mounting rail TS 35

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 15780.2 | PRS 1 Z | 4044211135249 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 2 CO contact, Input voltage: 110 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 15794.2 | PRSU 2Z/110V DC | 4044211135386 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 12 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>15163.2</u> | PRSU 1/12V DC | 4044211046422 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 15164.2 | PRSU 1/24V AC | 4044211046439 | 1 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 15164.2 | PRSU 1/24V AC | 4044211046439 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 230 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>15170.2</u> | PRSU 1/230V AC | 4044211046477 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 15169.2 | PRSU 1/24V DC | 4044211046460 | 10 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 15782.2 | PRSU 1Z/24V DC | 4044211135270 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 115 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 15786.2 | PRSU 1Z/115V AC | 4044211135317 | 1 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 230 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 15787.2 | PRSU 1Z/230V AC | 4044211135324 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 5 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 16077.2 | PRSU 1/5V DC | 4044211171162 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 15169.2 | PRSU 1/24V DC | 4044211046460 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 15169.2 | PRSU 1/24V DC | 4044211046460 | 10 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 110 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>15721.2</u> | PRSU 1/110V DC | 4044211138417 | 1 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 15782.2 | PRSU 1Z/24V DC | 4044211135270 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 15782.2 | PRSU 1Z/24V DC | 4044211135270 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 15785.2 | PRSU 1Z/24V AC | 4044211135300 | 1 ST |

Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|-------------------|
| 16400.2 | PRSU 1G/24 V DC-16A | 4044211216511 | 1 ST |



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 115 VAC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 15418.2 | PRSU 1/115V AC | 4044211080754 | 1 ST |



##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 60 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 15783.2 | PRSU 1Z/60V DC | 4044211135287 | 1 ST |



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 1 CO contact, Input voltage: 24 VDC

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 15788.2 | PRSU 1LZ/24V DC | 4044211135331 | 1 ST |