



Relay holding clip, With eject, Suitable for relay socket base PRS 4, for industrial relays

Business data

Article number	15140.2
Article name	PRS C4
GTIN (EAN)	4044211046224
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	3.9 g
Weight per piece (including packaging)	4.04 g
Unit of weight	G
Customs number	85389099
Country of origin	CN
Product description	Holding clip for opened design

Data sheet

15140.2 PRS C4



Technical data

Materials

Working temperature, min.	-40 °C
Working temperature, max.	70 °C
Storage temperature, min.	-40 °C
Storage temperature, max.	85 °C

Further technical data

Holding clip suitable for relay base, type	PRS 4
--	-------

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories

##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 110 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15731.2</u>	PRSU 4G/110V DC	4044211138516	1 ST




Relay socket base PRS, for industrial relay with 4 CO contacts, Screw connection, Plug-in option for input/suppression modules, Mounting type: Mounting rail TS 35

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15324.2</u>	PRS 4 G	4044211047139	1 ST



Relay socket base PRS, for industrial relay with 4 CO contacts, Tension-spring connection, Plug-in option for input/suppression modules, Mounting type: Mounting rail TS 35

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15431.2</u>	PRS 4 Z	4044211121488	1 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 24 VAC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15168.2</u>	PRSU 4/24V AC	4044211080877	10 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 220 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15732.2</u>	PRSU 4G/220V DC	4044211138523	1 ST

##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 230 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15174.2</u>	PRSU 4/230V AC	4044211046514	10 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 12 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15167.2</u>	PRSU 4/12V DC	4044211080853	5 ST



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contact, Input voltage: 12 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15798.2</u>	PRSU 4Z/12V DC	4044211135423	1 ST



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contact, Input voltage: 12 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15804.2</u>	PRSU 4Z/12V AC	4044211135485	1 ST



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contact, Input voltage: 230 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15807.2</u>	PRSU 4Z/230V AC	4044211135515	1 ST

##INVERSE##CONTA-ELECTRONICS




Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contact, Input voltage: 115 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15806.2</u>	PRSU 4Z/115V AC	4044211135508	1 ST




Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contact, Input voltage: 230 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15807.2</u>	PRSU 4Z/230V AC	4044211135515	1 ST




Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 230 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15372.2</u>	PRSU 4G/230V AC	4044211080730	10 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base with multi-layer gold contact, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 24 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16127.2</u>	PRSU 4/24V DC Au	4044211178215	5 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 48 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15724.2</u>	PRSU 4/48V DC	4044211138448	1 ST

##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 12 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15420.2</u>	PRSU 4G/12V AC	4044211080891	1 ST




Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 24 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15371.2</u>	PRSU 4G/24V AC	4044211080907	1 ST




Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contact, Input voltage: 60 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15801.2</u>	PRSU 4Z/60V DC	4044211135454	1 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 12 VAC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15392.2</u>	PRSU 4/12V AC	4044211080860	1 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15173.2</u>	PRSU 4/24V DC	4044211046507	10 ST

##INVERSE##CONTA-ELECTRONICS




Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base with multi-layer gold contact, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16127.2</u>	PRSU 4/24V DC Au	4044211178215	5 ST




Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base with multi-layer gold contact, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16399.2</u>	PRSU 4G/24 V DC Au	4044211216504	1 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 24 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15173.2</u>	PRSU 4/24V DC	4044211046507	10 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 24 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15332.2</u>	PRSU 4G/24V DC	4044211080723	10 ST



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contact, Input voltage: 110 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15802.2</u>	PRSU 4Z/110V DC	4044211135461	1 ST

##INVERSE##CONTA-ELECTRONICS




Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 115 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15728.2</u>	PRSU 4/115V AC	4044211138486	1 ST




Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 12 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15392.2</u>	PRSU 4/12V AC	4044211080860	1 ST




Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 115 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15728.2</u>	PRSU 4/115V AC	4044211138486	1 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 110 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15726.2</u>	PRSU 4/110V DC	4044211138462	1 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 220 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15727.2</u>	PRSU 4/220V DC	4044211138479	1 ST

##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 115 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15728.2</u>	PRSU 4/115V AC	4044211138486	1 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 48 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15729.2</u>	PRSU 4G/48V DC	4044211138493	1 ST



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 115 VAC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>15733.2</u>	PRSU 4G/115V AC	4044211138530	1 ST



Pre-assembled relay module PRS..., Tension-spring connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contact, Input voltage: 110 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15802.2</u>	PRSU 4Z/110V DC	4044211135461	1 ST

##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 48 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15724.2</u>	PRSU 4/48V DC	4044211138448	1 ST

##INVERSE##CONTA-ELECTRONICS



Pre-assembled relay module PRS..., Screw connection, Consisting of: relay socket base, power contact relay, pluggable display/suppression module and holding clip, 4 CO contacts, Input voltage: 12 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>15421.2</u>	PRSU 4G/12V DC	4044211080884	1 ST