



Interface-Relay-Compact (IRC) fuse module to combine with IRCP, FIRCP, MFR-IRCP and MFR-FIRCP relays and socket bases, for holding 5x20 fuse, Voltage: 250 V, Current: 6 A

Business data

Article number	<u>16208.2</u>
Article name	SM-IRC
GTIN (EAN)	4044211187637
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	1.9 g
Weight per piece (including packaging)	1.9 g
Unit of weight	G
Customs number	85389099
Country of origin	IT
Product description	Fuse module

Data sheet

16208.2 SM-IRC

Technical data

Ratings

Max. voltage	250 V
--------------	-------

Continuous current, max.	6 A
--------------------------	-----

Materials

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	70 °C
---------------------------	-------

Further technical data

Fuse size	5x20 mm
-----------	---------

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2024-01-23
----------------------	------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Data sheet


16208.2 SM-IRC



Media


Accessories

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base IRC with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16190.2</u>	IRC 6-12-24V AC/DC	4044211187262	10 ST



Interface-Relay-Compact (IRC) socket base FIRC with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6, 12 or 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16213.2</u>	FIRCP 6-12-24V AC/DC	4044211187484	10 ST




Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16214.2</u>	FIRCP 60V AC/DC	4044211187491	10 ST




Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16215.2</u>	FIRCP 110...125V AC/DC	4044211187514	10 ST



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16216.2</u>	FIRCP 230...240V AC	4044211187507	10 ST



Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16217.2</u>	FIRCP 110...125V DC	4044211187521	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16218.2</u>	FIRCP 220V DC	4044211187538	10 ST




Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 110 to 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16219.2</u>	FIRCP LW 110...125V AC/DC	4044211187545	10 ST




Interface-Relay-Compact (IRC) socket base FIRC P with Push-In connection and residual current suppression for long cables, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 230 to 240 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16220.2</u>	FIRCP LW 230...240V AC	4044211187552	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16235.2</u>	IRCPU 1/6V AC/DC	4044211200190	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16236.2</u>	IRCPU 1/12V AC/DC	4044211200206	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16237.2</u>	IRCPU 1/24V AC/DC	4044211200213	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16238.2</u>	IRCPU 1/60V AC/DC	4044211200220	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16239.2</u>	IRCPU 1/125V AC/DC	4044211200237	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16240.2</u>	IRCPU 1/240V AC	4044211200244	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16241.2</u>	IRCPU 1/125V DC	4044211200251	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16242.2</u>	IRCPU 1/220V DC	4044211200268	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16243.2</u>	IRCPU LW 1/125V AC/DC	4044211200275	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base IRCP... with screw connection and pluggable miniature relay PRC... with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16244.2</u>	IRCPU LW 1/240V AC	4044211200282	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 6 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16265.2</u>	FIRCPU 1/6V AC/DC	4044211200442	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 VAC/DC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16266.2</u>	FIRCPU 1/12V AC/DC	4044211200459	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mountingrail TS 35, 1 CO contact, Input voltage: 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16267.2</u>	FIRCPU 1/24V AC/DC	4044211200466	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 60 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16268.2</u>	FIRCPU 1/60V AC/DC	4044211200473	10 ST




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16269.2</u>	FIRCPU 1/125V AC/DC	4044211200480	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16270.2</u>	FIRCPU 1/240V AC	4044211200497	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 220 VDC


Article number	Article name	GTIN (EAN)	Packaging unit
<u>16272.2</u>	FIRCPU 1/220V DC	4044211200510	10 ST

##INVERSE##CONTA-ELECTRONICS




Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mountingrail TS 35, 1 CO contact, Input voltage: 125 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16273.2</u>	FIRCPU LW 1/125V AC/DC	4044211200527	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 240 VAC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16274.2</u>	FIRCPU LW 1/240V AC	4044211200534	10 ST



Interface-Relay-Compact (IRC) Complete, Consisting of base FIRCP... with Push-In connection and pluggable miniature relay with power contact, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 125 VDC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16271.2</u>	FIRCPU 1/125V DC	4044211200503	10 ST



Multifunction timing relay module, Interface Relay Compact (IRC) Complete, consisting of base MFR-FIRCP ... with Push-in connection and Plug-in miniature relay PRC ... with power contact, Mounting type: TS 35, 1 CO contact, Input voltage : 12 VAC / DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16285.2</u>	MFR FIRCPU 1/12V AC/DC	4044211200640	10 ST



Multifunction timing relay module, Interface Relay Compact (IRC) Complete, consisting of base MFR-FIRCP ... with Push-in connection and Plug-in miniature relay PRC ... with power contact, Mounting type: TS 35, 1 CO contact, Input voltage : 12 VAC / DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16286.2</u>	MFR FIRCPU 1/24V AC/DC	4044211200657	10 ST

##INVERSE##CONTA-ELECTRONICS




Multifunction timing relay module, Interface Relay Compact (IRC) complete, Consisting of base MFR-IRCP with Screw connection and Plug-in miniature relay PRC with power contact, Mounting type: TS 35, 1 Changeover contact, Input voltage: 12 VAC / DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16255.2</u>	MFR IRCPU 1/12V AC/DC	4044211200374	10 ST




Multifunction timing relay module, Interface Relay Compact (IRC) complete, Consisting of base MFR-IRCP with Screw connection and Plug-in miniature relay PRC with power contact, Mounting type: TS 35, 1 Changeover contact, Input voltage: 12 VAC / DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16256.2</u>	MFR IRCPU 1/24V AC/DC	4044211200381	10 ST



Multi-function timing relay, Interface-Relay-Compact (IRC) socket base MFR-IRCP with screw connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 to 24VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16207.2</u>	MFR IRCP 12-24V AC/DC	4044211187446	10 ST



Multi-function timing relay, Interface-Relay-Compact (IRC) socket base MFR-FIRCP with Push-In connection, Mounting type: Mounting rail TS 35, 1 CO contact, Input voltage: 12 to 24 VAC/DC

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16227.2</u>	MFR FIRCP 12-24V AC/DC	4044211187620	10 ST