


Data sheet

16507.5 AQI PPRS2/8 BU



External cross-connector insulated for PPRS 2 Relays, 8-pole, can be shortened, Voltage: 250 V, Current: 10 A, Colour: Blue

RAL: Ähnlich 5005

Business data

Article number	<u>16507.5</u>
Article name	AQI PPRS2/8 BU
GTIN (EAN)	4044211236311
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	6.3 g
Weight per piece (including packaging)	6.5 g
Unit of weight	G
Customs number	85389099
Country of origin	PL
Prio-Article	16507.9
Product description	Insulated external cross-connector

Technical data

Ratings

Max. voltage	250 V
Rated current	10 A

Connection data

No. of poles	8
--------------	---

Materials

Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories

##INVERSE##CONTA-ELECTRONICS



Relay socket base PPRS, for miniature power relay with 2 CO contacts, Push-in connection, Plug-in option for input/suppression modules and cross connections, Mounting type: Mounting rail TS 35

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16503.2</u>	PPRS 2	4044211236298	20 ST