

16508.5 AQI PPRS4/8 BU



External cross-connector insulated for PPRS 4 Relays, 8-pole, can be shortened, Voltage: 250 V, Current: 10 A, Colour: Blue

RAL: Ähnlich 5005

Business data

Article number	<u>16508.5</u>
Article name	AQI PPRS4/8 BU
GTIN (EAN)	4044211236274
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	9 g
Weight per piece (including packaging)	9.2 g
Unit of weight	G
Customs number	85389099
Country of origin	PL
Prio-Article	16508.9
Product description	Insulated external cross-connector

Technical data

Ratings

Max. voltage	250 V
--------------	-------

Rated current	10 A
---------------	------

Connection data

No. of poles	8
--------------	---

Materials

Insulation housing	Polyamide 6.6
--------------------	---------------

Flammability class UL 94	V-2
--------------------------	-----

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	105 °C
---------------------------	--------

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2023-06-14, 2024-01-23
----------------------	------------------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

16508.5 AQI PPRS4/8 BU

Accessories

##INVERSE##CONTA-ELECTRONICS



Relay socket base PPRS, for industrial relay with 4 CO contacts, Push-in connection, Plug-in option for input/suppression modules and cross connections, Mounting type: Mounting rail TS 35

Article number	Article name	GTIN (EAN)	Packaging unit
<u>16504.2</u>	PPRS 4	4044211236250	10 ST
