

16512.2 GSM-ANTENNA-4G-STRIP-30CM



GSM-Antenna, 4G, Cable length: 30cm

RAL: 9005

Business data

|                                            |                           |
|--------------------------------------------|---------------------------|
| Article number                             | 16512.2                   |
| Article name                               | GSM-ANTENNA-4G-STRIP-30CM |
| GTIN (EAN)                                 | 4044211236380             |
| Packaging unit                             | 1                         |
| Quantity unit                              | PC                        |
| Weight per piece (not including packaging) | 7 g                       |
| Weight per piece (including packaging)     | 8 g                       |
| Unit of weight                             | G                         |
| Customs number                             | 85291069                  |
| Country of origin                          | CN                        |
| Product description                        | GSM antenna               |
| Colour                                     | Black                     |

## 16512.2 GSM-ANTENNA-4G-STRIP-30CM

### Technical data

#### Connection data

|                   |          |
|-------------------|----------|
| Plug-in connector | SMA-Male |
| Impedance         | 50 Ohm   |

#### Materials

|                           |        |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
| Working temperature, max. | 85 °C  |

#### Further technical data

|               |          |
|---------------|----------|
| Mounting type | External |
| Cable length  | 0,03 m   |
| Antenna shape | PCB      |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2024-01-23 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

Media

16512.2 GSM-ANTENNA-4G-STRIP-30CM

Accessories

##INVERSE##CONTA-ELECTRONICS



Auto Send SMS Module, 230V AC. The module sends an SMS after power is connected. The telephone numbers are fully configurable using your Windows PC via a USB port. The GSM-TMM is therefore ideal as fault detector.

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>16511.2</u> | GSM-TMM-230VAC | 4044211236366 | 1 ST           |



Auto Send SMS Module, 10...30V dc, 24V ac. The module sends an SMS after power is connected. The telephone numbers are fully configurable using your Windows PC via a USB port. The GSM-TMM is therefore ideal as fault detector.

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>16489.2</u> | GSM-TMM-12VDC/24VUC | 4044211236373 | 1 ST           |