



Device and installation marker, Length: 55 mm, Width: 20 mm, Colour: Silver

Business data

| | |
|--|----------------------------------|
| Article number | <u>1681.0</u> |
| Article name | GMA 55/20 R 2x2,5 SI/eloxiert SI |
| GTIN (EAN) | 4044211124984 |
| Packaging unit | 2 |
| Quantity unit | PC |
| Markers per card | 50 ST |
| Weight per piece (not including packaging) | 150 g |
| Weight per piece (including packaging) | 205 g |
| Unit of weight | G |
| Customs number | 76169990 |
| Country of origin | DE |
| Product description | Device and installation marker |
| Colour | Silver |

1681.0 GMA 55/20 R 2x2,5 SI/eloxiert SI

Technical data

Dimensions

| | |
|---------------------------|--------|
| Length | 55 mm |
| Card length | 300 mm |
| Width | 20 mm |
| Card width | 200 mm |
| Diameter of mounting hole | 2.5 mm |

Materials

| | |
|---------------------------|--------------------|
| Material | Anodised aluminium |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 800 °C |

Print

| | |
|------------------|--|
| Printing process | EMS + EMS engraving unit |
| Fill colour | Silver |
| Resistance | Heat, cold, corrosion, acids, chemicals, fireproof |

Further technical data

| | |
|----------|----------|
| Mounting | M2 screw |
|----------|----------|

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2024-01-23 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Data sheet



1681.0 GMA 55/20 R 2x2,5 SI/eloxiert SI

Media

Accessories

Inlays



Plotter inlay

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1604.0</u> | CCI-8 | 4044211078829 | 1 ST |
