



Cross-connector, No. of poles: 4, Mounting type: Can be screwed on, Width: 57 mm, Rated cross-section: 35 mm², Colour: natural

Business data

Article number	<u>17288.0</u>
Article name	Q 4
GTIN (EAN)	4044211180348
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	21.86 g
Weight per piece (including packaging)	21.96 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Product description	Cross-connector
Colour	Natural

Technical data

Dimensions

Length	8 mm
Width	57 mm
Hole diameter	4.1 mm
Hole spacing (mid-point to mid-point)	16 mm
Pitch size	16 mm

Ratings

Max. voltage	1000 V
Voltage with partition, max.	1000 V
Voltage without partition, max.	1000 V
Rated current	125 A
Rated cross-section	35 mm ²
Contamination degree	3

Connection data

No. of poles	4
Screw head	Slotted
Screw threading	M 4
Tightening torque, min.	1.2 Nm
Tightening torque, max.	2 Nm

Materials

Material	Copper
Surface	Tin-plated
Surface screw	Galvanized


Further technical data

Mounting type	Screwable
Number of bridged terminals	4

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media




Accessories

##INVERSE##CONTA-CONNECT




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16 mm, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17376.4</u>	RK 35/35 N PA-G BK	4044211186562	20 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17370.2</u>	RK 35/35 N BG	4044211185473	20



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17371.2</u>	RK 35/35 N/IS BG	4044211186241	20



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17373.2</u>	RK 35/35 N/Z/IS BG	4044211186449	20



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16 mm, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17377.4</u>	RK 35/35 N/IS PA-G BK	4044211186579	20 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16 mm, Colour: Black-yellow


Article number	Article name	GTIN (EAN)	Packaging unit
<u>17375.2</u>	RK 35/35 N/PE/IS BKYE	4044211186555	20 ST

##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17375.2</u>	RK 35/35 N/PE/IS BKYE	4044211186555	20 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17370.2</u>	RK 35/35 N BG	4044211185473	20