


## 17430.2 FAPIK 2,5/3 BG



End plate, Width: 1.5 mm, Colour: Beige

### Business data

Article number	<u>17430.2</u>
Article name	FAPIK 2,5/3 BG
GTIN (EAN)	4044211190514
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	3.1 g
Weight per piece (including packaging)	3.2 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	End plate
Colour	Beige

---

### Technical data

---

#### Dimensions

Length	71.3 mm
Width	1.5 mm
Height	38.7 mm

#### Materials

Material	Polyamide 6.6
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

# Data sheet

17430.2 FAPIK 2,5/3 BG



---


Media

---

## 17430.2 FAPIK 2,5/3 BG


### Accessories

#### ##INVERSE##CONTA-CONNECT



Initiator terminal / actuator terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3295.2</u>	FIK 2,5/3 BG	4044211190095	100 ST



Initiator terminal / actuator terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3296.2</u>	FIK 2,5/3/LED(RD) BG	4044211190118	100 ST