



Cable gland, Thread type: metric, Thread size: 20 mm, Material: Polyamide, Protection: IP68 - 5 bar, Colour: Light grey

RAL: 7035

Business data

Article number	<u>17601.2</u>
Article name	KV/M-L 20x1,5 GR
GTIN (EAN)	4044211157692
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	14.24 g
Weight per piece (including packaging)	14.34 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Prio-Article	17601.2
Product description	Cable gland

Technical data

Dimensions

Width (enclosure size)	27 mm
------------------------	-------

Depth (enclosure size)	27 mm
------------------------	-------

Thread

Thread type	Metric
-------------	--------

Thread size	20 mm
-------------	-------

Thread pitch	1.5 mm
--------------	--------

Materials

Material	Polyamide
----------	-----------

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	100 °C
---------------------------	--------

Sealing material	EPDM
------------------	------

Halogen-free	✓
--------------	---

Further technical data

Degree of protection	IP68 - 5 bar
----------------------	--------------

Spanner width (AF)	24 mm
--------------------	-------

Cable diameter, min.	6 mm
----------------------	------

Cable diameter, max.	13 mm
----------------------	-------

Impact resistant	✓
------------------	---

Hexagonal corner size	27 mm
-----------------------	-------

Impact category	3
-----------------	---

Installation torque cap nut	3 Nm
-----------------------------	------

Installation torque fitting	4 Nm
-----------------------------	------

Type of cable anchorage	A
-------------------------	---

Environmental Product Compliance


REACH Conform	yes
---------------	-----

REACH Reference date	2023-06-14, 2024-01-23
----------------------	------------------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media



Accessories
