Data sheet

2039.0 TS 35x15/2,3 GL

DIN rail, slotted, Width: 35 mm, Height: 15 mm, Material: Steel, Colour: natural

Business data

Article number	2039.0
Article name	TS 35x15/2,3 GL
GTIN (EAN)	4044211048440
Packaging unit	1
Quantity unit	M
Weight per piece (not including packaging)	833.5 g
Weight per piece (including packaging)	833.5 g
Unit of weight	G
Customs number	72166190
Country of origin	DE
Product description	DIN rail
Colour	Natural

Data sheet

2039.0 TS 35x15/2,3 GL

Technical data

Dimensions

Length	2000 mm
Hole length	18 mm
Width	35 mm
Hole width	5.2
Height	15 mm
Thickness	1.5 mm
Shape of hole	Slotted hole
Slotted hole	✓
Slotted	✓

Ratings

Max. short-circuit current	6 kA
Max. allowed thermal rated current with PEN function	The usage of protective earth steel busbars is not permitted for PEN functionality! A
Short-circuit resistance Ip	50 kA

Materials

Material	Steel
Surface	Galvanized, thick-film passivated

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Approvals

Standards and regulations

Standards / specifications	DIN EN 60715

VDE approval

VDE approval	Acc. DIN VDE 0611-3

Data sheet

2039.0 TS 35x15/2,3 GL

Media



Data sheet

2039.0 TS 35x15/2,3 GL

Accessories