Data sheet

2094.0 TS 35x7,5 GL

DIN rail, slotted, Width: 35 mm, Height: 7.5 mm, Material: Steel, Colour: natural

Business data

Article number	2094.0
Article name	TS 35x7,5 GL
GTIN (EAN)	4044211049027
Packaging unit	40
Quantity unit	M
Weight per piece (not including packaging)	320 g
Weight per piece (including packaging)	320 g
Unit of weight	G
Customs number	72166190
Country of origin	DE
Product description	DIN rail
Colour	Natural

Data sheet

2094.0 TS 35x7,5 GL

Technical data

Dimensions	
Length	2000 mm
Hole length	18 mm
Width	35 mm
Hole width	5.2
Height	7.5 mm
Hole spacing (mid-point to mid-point)	25 mm
Thickness	1 mm
Shape of hole	Slotted hole
Slotted hole	✓
Slotted	✓

Ratings	
Max. short-circuit current	1.92 kA
Max. allowed thermal rated current with PEN function	The usage of protective earth steel busbars is not permitted for PEN functionality! A
Short-circuit resistance Ip	16 kA

Materials	
Material	Steel
Surface	Galvanized, thick-film passivated

Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet

2094.0 TS 35x7,5 GL

Approvals

Standards and regulations

Standards / specifications	DIN EN 60715

VDE approval

VDE approval	Acc. DIN VDE 0611-3

Data sheet

2094.0 TS 35x7,5 GL

Media





Data sheet

2094.0 TS 35x7,5 GL

Accessories