

Cross-switch bridge, No. of poles: 4, Mounting type: Can be screwed on, Width: 31.6 mm, Colour: Orange

### Business data

Article number	<u>2199.0</u>
Article name	QVS 4
GTIN (EAN)	4044211050276
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	2.33 g
Weight per piece (including packaging)	2.34 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	Cross-switch bridge
Colour	Orange

---

### Technical data

---

#### Dimensions

Length	23.5 mm
Width	31.6 mm
Height	7.6 mm
Pitch size	8 mm

#### Connection data

No. of poles	4
--------------	---

#### Materials

Material	Brass
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

#### Further technical data

Mounting type	Screwable
Insulation available	✓
Touch protection is available	✓

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

---

**Media**

---

### Accessories

#### ##INVERSE##CONTA-CONNECT




Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1130.2</u>	PTK 10/LT BG	4044211019853	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1131.2</u>	PTK 10/LT/STB BG	4044211019969	50 ST




Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1133.2</u>	PTK 10/QT/STB BG	4044211020187	50 ST




Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1135.2</u>	PTK 10/DU/STB BG	4044211020408	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1133.2</u>	PTK 10/QT/STB BG	4044211020187	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1135.2</u>	PTK 10/DU/STB BG	4044211020408	50 ST

### ##INVERSE##CONTA-CONNECT



Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17366.2</u>	PTK 10/LT/HB BG	4044211185145	50 ST



Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17367.2</u>	PTK 10/LT/STB/HB BG	4044211185152	50 ST