



Cable marker sleeve, Length: 3 mm, Width: 4.2 mm, Colour: Yellow, Print: No print / blank

**RAL:** 1026

### Business data

|  |                     |
|--|---------------------|
| Article number                             | 2633.0104           |
| Article name                               | KBH 5/3 neutral YE  |
| GTIN (EAN)                                 | 4044211097059       |
| Packaging unit                             | 200                 |
| Quantity unit                              | PC                  |
| Number of characters per sleeve            | 1                   |
| Packaging type                             | Bag                 |
| Weight per piece (not including packaging) | 0.05 g              |
| Weight per piece (including packaging)     | 0.06 g              |
| Unit of weight                             | G                   |
| Customs number                             | 39269097            |
| Country of origin                          | SE                  |
| Prio-Article                               | 2633.0104           |
| Product description                        | Cable marker sleeve |

### Technical data

#### Dimensions

|             |        |
|-------------|--------|
| Length      | 3 mm   |
| Width       | 4.2 mm |
| Height      | 5.5 mm |
| Text height | 2.6 mm |

#### Connection data

|                                    |                     |
|------------------------------------|---------------------|
| Wire cross-section, min.           | 1.5 mm <sup>2</sup> |
| Wire cross-section, max.           | 4 mm <sup>2</sup>   |
| Wire cross-section AWG, min.       | 16                  |
| Wire cross-section AWG, max.       | 11                  |
| Outer diameter of insulation, min. | 2.5 mm              |
| Max. outer diameter of insulation  | 5 mm                |

#### Materials

|                           |        |
|---------------------------|--------|
| Material                  | PVC-P  |
| Flammability class UL 94  | V-0    |
| Working temperature, min. | -30 °C |
| Working temperature, max. | 60 °C  |
| Cadmium-free              | ✓      |
| Silicone-free             | ✓      |
| Resistant to chemicals    | ✓      |
| UV-resistant              | ✓      |

#### Print

|                  |               |
|------------------|---------------|
| Printing process | Heat stamping |
|------------------|---------------|

#### Environmental Product Compliance

|                                |                        |
|--------------------------------|------------------------|
| REACH Conform                  | yes                    |
| REACH Reference date           | 2023-06-14, 2024-01-23 |
| REACH Candidate Substance Note | No                     |
| RoHS Conform                   | yes                    |

---

### Media

---

### Accessories

#### Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2034.0</u>  | BS-1         | 4044211048365 | 10 ST          |

#### Installation tool



Mounting pin for cable marking sleeves KBH 5, Material: steel

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2652.0</u>  | MD 5         | 4044211054144 | 1 ST           |



Mounting pin for cable marking sleeves KBH 5, Material: steel

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2651.0</u>  | MD 4         | 4044211054137 | 1 ST           |