



Stainless steel marker, Width: 10.3 mm, Colour: natural, Print: Special print

Number of rows, max.: 1

Number of characters per row, max.: 8

Business data

Article number	<u>2658.008</u>
Article name	MPS 1x1-8 So
GTIN (EAN)	4044211123253
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	1.6 g
Weight per piece (including packaging)	1.62 g
Unit of weight	G
Customs number	83100000
Country of origin	EU
Prio-Article	2658.008
Product description	Cable marker ferrule

2658.008 MPS 1x1-8 So

Technical data

Dimensions

Width	10.3 mm
-------	---------

Slot width	4.8 mm
------------	--------

Materials

Material	Stainless steel
----------	-----------------

Flammability class UL 94	Non-flammable
--------------------------	---------------

Working temperature, min.	-80 °C
---------------------------	--------

Working temperature, max.	500 °C
---------------------------	--------

Acid resistant according to SIS 2348 / EN 1.4404 / AISI 316L / BS 3165 11	✓
--	---

Print

Printing process	Embossing
------------------	-----------

Print	Single-line/1-8 characters per line/custom print
-------	--

Further technical data

Max. width of cable tie	4.6 mm
-------------------------	--------

Cable ties per holder, max.	2 ST
-----------------------------	------

Environmental Product Compliance

REACH Conform	Yes, yes
---------------	----------

REACH Reference date	2023-06-14, 2024-01-23, 2024-01-23
----------------------	------------------------------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

Accessories

Installation tool

##INVERSE##CONTA-LABEL

Cable marker sleeve, Length: 36 mm, Max. wire cross-section: 70 mm², Colour: White,
Print: No print / blank

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2533.0</u>	KBH-S 36 neutral WH	4044211123901	250 ST
