

Data sheet

2673.0 KBH 5/21 neutral YE Streifen



Cable marker sleeve, Length: 21 mm, Width: 4.2 mm, Colour: Yellow, Print: No print / blank

RAL: 1026

Business data

Article number	2673.0
Article name	KBH 5/21 neutral YE Streifen
GTIN (EAN)	4044211124021
Packaging unit	1008
Quantity unit	PC
Number of strips per package unit	112 ST
Number of ferrules per strip	9 ST
Number of characters per sleeve	9
Packaging type	Carton
Weight per piece (not including packaging)	0.3 g
Weight per piece (including packaging)	0.37 g
Unit of weight	G
Customs number	39269097
Country of origin	SE
Product description	Cable marker sleeve
Colour	Yellow

2673.0 KBH 5/21 neutral YE Streifen

Technical data

Dimensions

Length	21 mm
Width	4.2 mm
Height	5.5 mm
Text height	2.6 mm

Connection data

Wire cross-section, min.	1.5 mm ²
Wire cross-section, max.	4 mm ²
Wire cross-section AWG, min.	16
Wire cross-section AWG, max.	11
Outer diameter of insulation, min.	2.5 mm
Max. outer diameter of insulation	5 mm

Materials

Material	PVC-P
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Cadmium-free	✓
Silicone-free	✓
Resistant to chemicals	✓
UV-resistant	✓

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Data sheet

2673.0 KBH 5/21 neutral YE Streifen

Accessories

Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2034.0</u>	BS-1	4044211048365	10 ST

Plotter



Plotter marking system

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1610.0</u>	EMS-3 Easy-Marking-System DIN A3	4044211103187	1 ST

Installation tool



Mounting pin for cable marking sleeves KBH 5, Material: steel

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2652.0</u>	MD 5	4044211054144	1 ST



Mounting pin for cable marking sleeves KBH 5, Material: steel

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2651.0</u>	MD 4	4044211054137	1 ST