



Cover, Length: 20 mm, Width: 24 mm, Colour: Yellow

**RAL:** 1026

### Business data

Article number	<u>2713.0</u>
Article name	AD 4/20/B/E YE
GTIN (EAN)	4044211054540
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	0.68 g
Weight per piece (including packaging)	0.69 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Product description	Cover
Colour	Yellow

---

### Technical data

---

#### Dimensions

Length	20 mm
Width	24 mm
Height	1.3 mm

#### Materials

Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

---

### Media

---


### Accessories

#### ##INVERSE##CONTA-CONNECT




Mounting screw, M 2.5, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2080.0</u>	BSK M 2,5x22	4044211048884	100 ST




Feed-through terminal/block variant, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1298.2</u>	KBL 2,5 m.B. BG	4044211040499	10 ST




Feed-through terminal/block variant, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm<sup>2</sup>, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1297.2</u>	KBL 2,5 BG	4044211040383	10 ST



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1296.2</u>	RK 2,5 BG	4044211040215	100



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1426.2</u>	RK 2,5 Ex BG	4044211044718	100