



Insulated cross-connector, No. of poles: 4, Mounting type: Plug in, Width: 37.3 mm, Colour: Red

Business data

Article number	27164.9
Article name	PQI 10/4 RD
GTIN (EAN)	4044211225421
Packaging unit	20
Quantity unit	PC
Unit of weight	G
Customs number	85389099
Country of origin	DE
Prio-Article	27164.9
Product description	Insulated cross-connector

Technical data

Dimensions

Length	5.5 mm
Width	37.3 mm
Height	27.5 mm
Pitch size	10.1 mm

Ratings

Rated current	57 A
Current load, max.	57 A
Rated cross-section	10 mm ²
Contamination degree	3

Connection data

No. of poles	4
--------------	---

Materials

Insulation housing	Polyamide 6.6
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C

Further technical data

Mounting type	Plug in
Insulation available	✓
Touch protection is available	✓
Number of bridged terminals	4


Environmental Product Compliance

REACH Candidate Substance Note	No
--------------------------------	----

Media

Accessories

##INVERSE##CONTA-CONNECT



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,
Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27025.2</u>	PSL 10/2A GNYE	4044211224042	50 ST




Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,
Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27027.2</u>	PSL 10/3A GNYE	4044211224080	50 ST




Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,
Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27029.2</u>	PSL 10/4A GNYE	4044211224127	50 ST



Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,
Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27024.6</u>	PRK 10/2A GR	4044211224035	50



Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,
Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27026.6</u>	PRK 10/3A GR	4044211224073	50

##INVERSE##CONTA-CONNECT

Data sheet

27164.9 PQI 10/4 RD



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5,
Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27029.2</u>	PSL 10/4A GNYE	4044211224127	50 ST