

Data sheet

28350.7 PC-SB 3,5X5/56 WH



Terminal marker / PC Card, Length: 5 mm, Width: 3.5 mm, Colour: White

RAL: 9010

Business data

Article number	28350.7
Article name	PC-SB 3,5X5/56 WH
GTIN (EAN)	4044211216061
Packaging unit	1120
Quantity unit	PC
Number of markers per card	56 ST
Weight per piece (not including packaging)	0.13 g
Weight per piece (including packaging)	0.16 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Product description	Terminal marker / PC Card
Colour	White

Data sheet

28350.7 PC-SB 3,5X5/56 WH



Technical data

Dimensions

Length	5 mm
Width	3.5 mm

Materials

Marker material	Polycarbonate
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	130 °C
Silicone-free	✓

Further technical data

Mounting	Joined together
Software code	401

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories

Printer



The thermal transfer printing system for marking labels and signs for terminal blocks, cables and lines, devices, channels, input/output devices and external control panels. The CONTAPrintMAX software is available for download at www.conta-clip.com.


Article number	Article name	GTIN (EAN)	Packaging unit
<u>33000.0</u>	TTPCardMAX	4044211246501	1 ST

##INVERSE##CONTA-CONNECT



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27001.2</u>	PSL 1,5/2A GNYE	4044211223687	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27003.2</u>	PSL 1,5/3A GNYE	4044211223724	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27005.2</u>	PSL 1,5/4A GNYE	4044211223762	50 ST



Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>27000.6</u>	PRK 1,5/2A GR	4044211223670	50

Data sheet

28350.7 PC-SB 3,5X5/56 WH

##INVERSE##CONTA-CONNECT




Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Grey			
Article number	Article name	GTIN (EAN)	Packaging unit
<u>27002.6</u>	PRK 1,5/3A GR	4044211223717	50



Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Grey			
Article number	Article name	GTIN (EAN)	Packaging unit
<u>27004.6</u>	PRK 1,5/4A GR	4044211223755	50

##INVERSE##CONTA-CONNECT



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow			
Article number	Article name	GTIN (EAN)	Packaging unit
<u>27003.2</u>	PSL 1,5/3A GNYE	4044211223724	50 ST