



Split cable gland including counter nut, Thread type: metric, Material: PA 6.6, Protection: IP 66, Colour: Black

**RAL:** 9005

### Business data

|  |               |
|--|---------------|
| Article number                             | 28610.4       |
| Article name                               | KDS-KV M20 BK |
| GTIN (EAN)                                 | 4044211208936 |
| Packaging unit                             | 10            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 14.7 g        |
| Weight per piece (including packaging)     | 15.1 g        |
| Unit of weight                             | G             |
| Customs number                             | 39269097      |
| Country of origin                          | DE            |
| Product description                        | Cable gland   |
| Colour                                     | Black         |

### Technical data

#### Dimensions

|                        |         |
|------------------------|---------|
| Length                 | 40 mm   |
| Width                  | 40 mm   |
| Height                 | 38.7 mm |
| Installation height    | 23.7 mm |
| Diameter of screw head | 40 mm   |

#### Thread

|                   |        |
|-------------------|--------|
| Thread type       | Metric |
| Thread size       | 20 mm  |
| Thread pitch      | 1.5 mm |
| Thread length (L) | 15 mm  |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-0           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 120 °C        |
| Sealing material          | TPE           |
| Type of seal              | Seal ring     |
| Halogen-free              | ✓             |
| Silicone-free             | ✓             |


#### Further technical data

|                        |        |
|------------------------|--------|
| Mounting type          | Screws |
| Degree of protection   | IP66   |
| Spanner width (AF)     | 38 mm  |
| With counter nut       | ✓      |
| Strain relief          | ✓      |
| Hexagonal corner size  | 40 mm  |
| Torque for the locknut | 3 Nm   |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2024-01-23 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

### Media



### Accessories

#### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Grey

| Article number          | Article name  | GTIN (EAN)    | Packaging unit |
|-------------------------|---------------|---------------|----------------|
| <a href="#">28567.6</a> | KDS-DE 6-7 GR | 4044211211059 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Grey

| Article number          | Article name  | GTIN (EAN)    | Packaging unit |
|-------------------------|---------------|---------------|----------------|
| <a href="#">28568.6</a> | KDS-DE 7-8 GR | 4044211211066 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 9 mm, IP 66, Colour: Grey

| Article number          | Article name  | GTIN (EAN)    | Packaging unit |
|-------------------------|---------------|---------------|----------------|
| <a href="#">28569.6</a> | KDS-DE 8-9 GR | 4044211211073 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 10 mm, IP 66, Colour: Grey

| Article number          | Article name   | GTIN (EAN)    | Packaging unit |
|-------------------------|----------------|---------------|----------------|
| <a href="#">28570.6</a> | KDS-DE 9-10 GR | 4044211211080 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Grey

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">28571.6</a> | KDS-DE 10-11 GR | 4044211211097 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 12 mm, IP 66, Colour: Grey

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">28572.6</a> | KDS-DE 11-12 GR | 4044211211103 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 13 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28573.6</u> | KDS-DE 12-13 GR | 4044211215224 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28563.6</u> | KDS-DE 2-3 GR | 4044211211011 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28564.6</u> | KDS-DE 3-4 GR | 4044211211028 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28565.6</u> | KDS-DE 4-5 GR | 4044211211035 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28566.6</u> | KDS-DE 5-6 GR | 4044211211042 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 14 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28574.6</u> | KDS-DE 13-14 GR | 4044211215231 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28595.6</u> | KDS-DE 2X4-5 GR | 4044211215682 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28596.6</u> | KDS-DE 2X5-6 GR | 4044211215699 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28597.6</u> | KDS-DE 4X2-3 GR | 4044211215705 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28598.6</u> | KDS-DE 4X3-4 GR | 4044211215712 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28560.4</u> | KDS-DE/2XASI BK | 4044211215675 | 10 ST          |



Seal dummy, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28561.6</u> | KDS-DE/B GR  | 4044211211004 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28562.6</u> | KDS-DE 1,5-2 GR | 4044211209988 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28682.4</u> | KDS-DE 2X6,5 BK | 4044211219536 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28687.4</u> | KDS-DE 3X5-6 BK | 4044211220501 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28696.6</u> | KDS-DE 2 GR  | 4044211220884 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28697.4</u> | KDS-DE 3 BK  | 4044211220891 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28698.6</u> | KDS-DE 3 GR  | 4044211220907 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.1 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28762.6</u> | KDS-DE 4X6 GR | 4044211226459 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.1 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28763.4</u> | KDS-DE 4X6 BK | 4044211226466 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28600.6</u> | KDS-DE/2XASI GR | 4044211215736 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4.5 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28606.6</u> | KDS-DE 4X4,5 GR | 4044211216252 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.5 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28607.6</u> | KDS-DE 2X6,5 GR | 4044211216238 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 15 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28608.4</u> | KDS-DE 14-15 BK | 4044211219314 | 10 ST          |



## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 15 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28609.6</u> | KDS-DE 14-15 GR | 4044211219307 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 16 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28670.4</u> | KDS-DE 15-16 BK | 4044211219321 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 17 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28671.6</u> | KDS-DE 15-16 GR | 4044211219338 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28672.4</u> | KDS-DE 4X5 BK | 4044211219345 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28673.6</u> | KDS-DE 4X5 GR | 4044211219352 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4.5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28681.4</u> | KDS-DE 4X4,5 BK | 4044211219543 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28530.4</u> | KDS-DE 10-11 BK | 4044211210960 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 12 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28531.4</u> | KDS-DE 11-12 BK | 4044211210977 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 13 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28532.4</u> | KDS-DE 12-13 BK | 4044211210984 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 14 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28533.4</u> | KDS-DE 13-14 BK | 4044211210991 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 11 mm, IP 66, Colour: Black

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28553.4</u> | KDS-DE/K 2-11 BK | 4044211216092 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28555.4</u> | KDS-DE 2X4-5 BK | 4044211215620 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28556.4</u> | KDS-DE 2X5-6 BK | 4044211215637 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28557.4</u> | KDS-DE 4X2-3 BK | 4044211215644 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28558.4</u> | KDS-DE 4X3-4 BK | 4044211215651 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28559.4</u> | KDS-DE/1XASI BK | 4044211215668 | 10 ST          |



Seal dummy, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28520.4</u> | KDS-DE/B BK  | 4044211210878 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Black

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28521.4</u> | KDS-DE 1,5-2 BK | 4044211210007 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28522.4</u> | KDS-DE 2-3 BK | 4044211210885 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28523.4</u> | KDS-DE 3-4 BK | 4044211210892 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28524.4</u> | KDS-DE 4-5 BK | 4044211210908 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28525.4</u> | KDS-DE 5-6 BK | 4044211210915 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28526.4</u> | KDS-DE 6-7 BK | 4044211210922 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28527.4</u> | KDS-DE 7-8 BK | 4044211210939 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 9 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28528.4</u> | KDS-DE 8-9 BK | 4044211210946 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 10 mm, IP 66, Colour: Black

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>28529.4</u> | KDS-DE 9-10 BK | 4044211210953 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28688.6</u> | KDS-DE 3X5-6 GR | 4044211220518 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28689.4</u> | KDS-DE 2X7 BK | 4044211220815 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28690.6</u> | KDS-DE 2X7 GR | 4044211220822 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28691.4</u> | KDS-DE 2X8 BK | 4044211220839 | 10 ST          |

## 28610.4 KDS-KV M20 BK

### Small Seals



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28692.6</u> | KDS-DE 2X8 GR | 4044211220846 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 1.5 mm, IP 66, Colour: Black

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28693.4</u> | KDS-DE 1,5 BK | 4044211220853 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 1.5 mm, IP 66, Colour: Grey

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28694.6</u> | KDS-DE 1,5 GR | 4044211220860 | 10 ST          |



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28695.4</u> | KDS-DE 2 BK  | 4044211220877 | 10 ST          |

### ##INVERSE##CONTA-CABLE



Separated counter nut, Thread type: metric, Material: PA 6.6, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>28616.4</u> | KDS-GM 20 BK | 4044211208998 | 10 ST          |

### Sheet-metal puncher

## 28610.4 KDS-KV M20 BK



| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>28754.0</u> | BL-VA KDS-KV M20 | 4044211222062 | 1 ST           |

Sheet metal punch for round cutouts, Cutout diameter: 20.4 mm, Maximum wall thickness: 2.0 mm for S 235 sheet metal, Material: steel



| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>28746.0</u> | BL KDS-KV M20 | 4044211221997 | 1 ST           |