

Data sheet

28612.4 KDS-KV M32 BK



Split cable gland including counter nut, Thread type: metric, Material: PA 6.6, Protection: IP 66, Colour: Black

RAL: 9005

Business data

Article number	<u>28612.4</u>
Article name	KDS-KV M32 BK
GTIN (EAN)	4044211208950
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	17.2 g
Weight per piece (including packaging)	17.6 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Product description	Cable gland
Colour	Black

Technical data

Dimensions

Length	40 mm
Width	40 mm
Height	38.7 mm
Installation height	23.7 mm
Diameter of screw head	40 mm

Thread

Thread type	Metric
Thread size	32 mm
Thread pitch	1.5 mm
Thread length (L)	15 mm

Materials

Material	Polyamide 6.6
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C
Sealing material	TPE
Type of seal	Seal ring
Halogen-free	✓
Silicone-free	✓

Further technical data

Mounting type	Screws
Degree of protection	IP66
Spanner width (AF)	38 mm
With counter nut	✓
Strain relief	✓
Hexagonal corner size	40 mm
Torque for the locknut	3 Nm


Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet

28612.4 KDS-KV M32 BK

Media



Accessories

##INVERSE##CONTA-CABLE



Separated counter nut, Thread type: metric, Material: PA 6.6, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28618.4</u>	KDS-GM 32 BK	4044211209018	10 ST

Sheet-metal puncher



Sheet metal punch for round cutouts, Cutout diameter: 32.5 mm, Maximum wall thickness: 2.0 mm for S 235 sheet metal, Material: steel

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28748.0</u>	BL KDS-KV M32	4044211222017	1 ST

-

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28756.0</u>	BL-VA KDS-KV M32	4044211234461	1 ST