



Split cable gland including counter nut, Thread type: metric, Material: PA 6.6, Protection: IP 66, Colour: Black

RAL: 9005

Business data

Article number	<u>28614.4</u>
Article name	KDS-KV M50 BK
GTIN (EAN)	4044211208974
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	36.5 g
Weight per piece (including packaging)	36.9 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Product description	Cable gland
Colour	Black

Technical data

Dimensions

Length	72 mm
Width	72 mm
Height	39.7 mm
Installation height	24.7 mm
Diameter of screw head	72 mm

Thread

Thread type	Metric
Thread size	50 mm
Thread pitch	1.5 mm
Thread length (L)	15 mm

Materials

Material	Polyamide 6.6
Glass-fibre reinforced	✓
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C
Sealing material	TPE
Type of seal	Seal ring
Halogen-free	✓
Silicone-free	✓


Further technical data

Mounting type	Screws
Degree of protection	IP66
Spanner width (AF)	68 mm
With counter nut	✓
Strain relief	✓
Hexagonal corner size	72 mm
Torque for the locknut	7 Nm

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



28614.4 KDS-KV M50 BK

Accessories

##INVERSE##CONTA-CABLE



Separated counter nut, Thread type: metric, Material: PA 6.6, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28620.4</u>	KDS-GM 50 BK	4044211209032	5 ST

Sheet-metal puncher

Sheet metal punch for round cutouts, Cutout diameter: 50.5 mm, Maximum wall thickness: 2.0 mm for S 235 sheet metal, Material: steel

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28750.0</u>	BL KDS-KV M50	4044211222031	1 ST

-

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28758.0</u>	BL-VA KDS-KV M50	4044211234485	1 ST