


Data sheet

28665.8 KDS-FP-AD/UL YE



Inner cover for unused openings in the flange plates KDS-FP, Mounting type: plug-in, length: 153 mm, width: 55 mm, height: 11.5 mm, Material: Polyamide 6.6

RAL: 1026

Business data

Article number	28665.8
Article name	KDS-FP-AD/UL YE
GTIN (EAN)	4044211234034
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	15.65 g
Weight per piece (including packaging)	16.31 g
Unit of weight	G
Customs number	85369010
Country of origin	DE
Product description	Cable Entry
Colour	Yellow

Data sheet

28665.8 KDS-FP-AD/UL YE



Technical data

Dimensions

Length	113 mm
Width	45 mm
Height	17 mm
Installation height	7 mm

Materials

Material	Polyamide 6.6
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C


Further technical data

Mounting type	Snap-on
Assembly instruction	Please see instruction manual. The cover must be additionally secured with 2 locking elements KDS-FP-IVR.

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



Accessories

Locking mechanism



Inner lock, Mounting type: Plug in

Article number	Article name	GTIN (EAN)	Packaging unit
28664.3	KDS-FP-IVR OG	4044211220402	20 ST

##INVERSE##CONTA-CABLE



Cable entry flange plate with foamed-in frame gasket, Mounting type: Screw, Length: 165 mm, Width: 123 mm, IP66, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
28660.4	KDS-FP 2x10/24 BK	4044211220358	1 ST



Cable entry flange plate with foamed-in frame gasket, Mounting type: Screw, Length: 165 mm, Width: 174 mm, IP66, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
28661.4	KDS-FP 3x10/24 BK	4044211220365	1 ST