



Sheet metal punch for round cutouts, Cutout diameter: 20.4 mm, Maximum wall thickness: 2.0 mm for S 235 sheet metal, Material: steel

### Business data

Article number	28746.0
Article name	BL KDS-KV M20
GTIN (EAN)	4044211221997
Packaging unit	1
Quantity unit	PC
Included in delivery	Punch and die (without lag screw)
Weight per piece (not including packaging)	88 g
Weight per piece (including packaging)	106 g
Unit of weight	G
Customs number	82073010
Country of origin	DE
Product description	Sheet-metal puncher

---

### Technical data

---

#### Further technical data

Traction axis	7/16"-UNF / 11,1 x 50,0 mm
---------------	----------------------------

---

#### Dimensions

Length of wall cutout	20.4 mm
-----------------------	---------

---

Width of wall cutout	20.4 mm
----------------------	---------

---

Maximum material thickness for S 235 sheet metal	2 mm
--	------

---

#### Environmental Product Compliance

REACH Conform	yes
---------------	-----

---

REACH Reference date	2024-01-23
----------------------	------------

---

REACH Candidate Substance Note	No
--------------------------------	----

---

RoHS Conform	yes
--------------	-----

---

---

### Media

---

### Accessories

#### ##INVERSE##CONTA-CABLE



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28771.4</u>	KDS-RGA M20 BK	4044211234515	5 ST



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28771.4</u>	KDS-RGA M20 BK	4044211234515	5 ST



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28771.4</u>	KDS-RGA M20 BK	4044211234515	5 ST