

Data sheet

28748.0 BL KDS-KV M32



Sheet metal punch for round cutouts, Cutout diameter: 32.5 mm, Maximum wall thickness: 2.0 mm for S 235 sheet metal, Material: steel

Business data

Article number	28748.0
Article name	BL KDS-KV M32
GTIN (EAN)	4044211222017
Packaging unit	1
Quantity unit	PC
Included in delivery	Punch and die (without lag screw)
Weight per piece (not including packaging)	223 g
Weight per piece (including packaging)	241 g
Unit of weight	G
Customs number	82073010
Country of origin	DE
Product description	Sheet-metal puncher

Data sheet

28748.0 BL KDS-KV M32



Technical data

Further technical data

Traction axis	7/16"-UNF / 11,1 x 50,0 mm
---------------	----------------------------

Dimensions

Lenght of wall cutout	32.5 mm
Width of wall cutout	32.5 mm
Maximum material thickness for S 235 sheet metal	2 mm


Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media


Accessories

##INVERSE##CONTA-CABLE



Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced | TPE, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
28770.4	KDS-R 20-32 BK	4044211234508	5 ST



Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced | TPE, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
28770.4	KDS-R 20-32 BK	4044211234508	5 ST



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
28773.4	KDS-RGA M32 BK	4044211234539	5 ST