



Sheet metal puncher for rectangular openings, Dimensions opening: 110 x 131 mm, Maximum wall thickness: 2.0 mm for stainless steel sheet, Material: steel

Business data

Article number	<u>28753.0</u>
Article name	BL-VA KDS-FP 2
GTIN (EAN)	4044211222055
Packaging unit	1
Quantity unit	PC
Included in delivery	Stamp, die, pull axis, lock nut, plastic case
Weight per piece (not including packaging)	5500 g
Weight per piece (including packaging)	5500 g
Unit of weight	G
Customs number	82073010
Country of origin	DE
Product description	Sheet-metal puncher

Technical data

Further technical data

Traction axis	3/4"-UNF / 28,3 x 22,0 x 160 mm
---------------	---------------------------------

Dimensions

Length of wall cutout	110 mm
-----------------------	--------

Width of wall cutout	131 mm
----------------------	--------

Maximum material thickness for S 235 sheet metal	2 mm
--	------

Maximum material thickness for stainless sheet metal	2 mm
--	------

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2024-01-23
----------------------	------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media



Accessories

##INVERSE##CONTA-CABLE



Cable entry flange plate with foamed-in frame gasket, Mounting type: Screw, Length: 165 mm, Width: 123 mm, IP66, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
28660.4	KDS-FP 2x10/24 BK	4044211220358	1 ST
