

Data sheet

28756.0 BL-VA KDS-KV M32



Business data

Article number	<u>28756.0</u>
Article name	BL-VA KDS-KV M32
GTIN (EAN)	4044211234461
Packaging unit	1
Quantity unit	PC
Included in delivery	Punch and die (without lag screw)
Weight per piece (not including packaging)	222 g
Weight per piece (including packaging)	247 g
Unit of weight	G
Customs number	82073010
Country of origin	DE
Product description	Sheet-metal puncher

Data sheet

28756.0 BL-VA KDS-KV M32



Technical data

Further technical data

Traction axis	7/16"-UNF / 11,1 x 50,0 mm
---------------	----------------------------

Dimensions

Lenght of wall cutout	32.5 mm
Width of wall cutout	32.5 mm
Maximum material thickness for S 235 sheet metal	2 mm
Maximum material thickness for stainless sheet metal	2 mm

Environmental Product Compliance


REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories

##INVERSE##CONTA-CABLE

	Split cable gland including counter nut, Thread type: metric, Material: PA 6.6, Protection: IP 66, Colour: Black			
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>28612.4</u>	KDS-KV M32 BK	4044211208950	10 ST

	Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced TPE, Colour: Black			
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>28770.4</u>	KDS-R 20-32 BK	4044211234508	5 ST

	Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black			
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>28773.4</u>	KDS-RGA M32 BK	4044211234539	5 ST