

### Business data

Article number	<u>28759.0</u>
Article name	BL-VA KDS-KV M63
GTIN (EAN)	4044211234492
Packaging unit	1
Quantity unit	PC
Included in delivery	Punch and die (without lag screw)
Weight per piece (not including packaging)	1140 g
Weight per piece (including packaging)	1200 g
Unit of weight	G
Customs number	82073010
Country of origin	DE
Product description	Sheet-metal puncher

---

### Technical data

---

#### Further technical data

Traction axis	3/4"-UNF / 19,0 x 75 mm
---------------	-------------------------

---

#### Dimensions

Length of wall cutout	63.5 mm
-----------------------	---------

---

Width of wall cutout	63.5 mm
----------------------	---------

---

Maximum material thickness for S 235 sheet metal	2 mm
--	------

---

Maximum material thickness for stainless sheet metal	2 mm
--	------

---

#### Environmental Product Compliance

REACH Conform	yes
---------------	-----

---

REACH Reference date	2024-01-23
----------------------	------------

---

REACH Candidate Substance Note	No
--------------------------------	----

---

RoHS Conform	yes
--------------	-----

---

---

### Media

---


### Accessories

#### ##INVERSE##CONTA-CABLE



Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced | TPE, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28774.4</u>	KDS-R 40-63 BK	4044211234546	5 ST



Round cable entry, Material: polyamide PA 6.6, glass-fibre reinforced | TPE, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28774.4</u>	KDS-R 40-63 BK	4044211234546	5 ST



Thread and locking adapter, Material: Polyamide PA 6.6, glass-fibre reinforced, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28777.4</u>	KDS-RGA M63 BK	4044211234577	5 ST