

Data sheet

28851.6 KES-E-R 20/5 B GR



Round cable entry M20 with membrane for non-assembled cables, Mounting type: Snap-in, Length: 26 mm, Width: 26 mm, IP54, Colour: Grey

RAL: Ähnlich 7035

Business data

Article number	28851.6
Article name	KES-E-R 20/5 B GR
GTIN (EAN)	4044211235246
Packaging unit	10
Quantity unit	PC
Unit of weight	G
Customs number	39259020
Country of origin	DE
Product description	Cable Entry

Technical data

Further technical data

Number of cables for cable diameters 1,0 - 3,6 mm	2
Number of cables for cable diameters 1,0 - 4,6 mm	2
Number of cables for cable diameters 1,0 - 10,6 mm	1
Material	TPE
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	90 °C
Mounting type	Snap-on
Degree of protection	IP54
Sheet thickness min.	2.5 mm
Sheet thickness max.	4 mm
Number of wires	5

Dimensions

Length	27 mm
Length of wall cutout	20 mm
Width	27 mm
Width of wall cutout	20 mm
Height	12 mm
Installation height	5 mm

Materials

Sealing material	TPE
Halogen-free	✓
Silicone-free	✓




Print

Colour	Grey
--------	------

Environmental Product Compliance

REACH Conform	Yes
REACH Candidate Substance Note	No

Media



Accessories
