



Round cable entry M63 with membrane for non-assembled cables, Mounting type: Snap-in and Screw, Length: 73 mm, Width: 73 mm, IP66, Colour: Blue, FDA compliant material

RAL: Ähnlich 5005

Business data

Article number	<u>28941.5</u>
Article name	KES-R-FDA M63/9 BU
GTIN (EAN)	
Packaging unit	10
Quantity unit	PC
Unit of weight	G
Customs number	39259020
Country of origin	DE
Product description	Cable Entry
Colour	Blue

Technical data

Further technical data

Degree of protection for screw mounting	IP66
Number of cables for cable diameters 3,2 - 6,5 mm	1
Number of cables for cable diameters 5,0 - 10,2 mm	3
Number of cables for cable diameters 9,0 - 16,2 mm	4
Number of cables for cable diameters 16,0 - 22,2 mm	1
Wall thickness with lock nut mounting, max.	11 mm
Wall thickness with snap-in mounting, max.	2,5 mm
Mounting type	Snap-on and screw-on
Degree of protection	IP66
Min wall thickness	1 mm
Torque for the locknut	7 Nm
Number of wires	9
Degree of protection for snap-in mounting	IP54

Dimensions

Length	73 mm
Width	73 mm
Installation height	8 mm




Materials

Material	Polyamide 6.6
Flammability class UL 94	HB
Working temperature, min.	-40 °C
Working temperature, max.	80 °C
Sealing material	TPE
Halogen-free	✓
Silicone-free	✓
Material approval	FDA-compliant elastomer according to food approval 1935/2004/EG and (EU) 10/2011

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



Accessories
