


28980.6 KDS-DE-Z2K 1,0-2,6 GR



Two component seal with strain relief, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2,6 mm, IP 66, Colour: Gray

RAL: 7032

Business data

Article number	<u>28980.6</u>
Article name	KDS-DE-Z2K 1,0-2,6 GR
GTIN (EAN)	4044211247454
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	7.8 g
Weight per piece (including packaging)	8 g
Unit of weight	G
Customs number	39259020
Country of origin	DE
Product description	Sealing Element
Colour	Grey

Technical data

Weitere Technische Daten

Cable diameter, max.	2.6 mm
Cable diameter, min.	1 mm
Degree of protection	IP66
Mounting type	Plug in
Number of wires	1
Retention capacity in Newton	5 N
Strain relief	1
Strain relief in Newton	- N

Dimensions

Length	20.3 mm
Width	20.3 mm
Height	25 mm

Materials

Material	TPE / PA 6.6 GF
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	90 °C
Halogen-free	✓
Silicone-free	✓
UV-resistant	✓

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes


Approvals

Standards and regulations

Standards / specifications

EN 62444:2015-05

Media



Accessories
