

Two component seal with strain relief, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8,7 mm, IP 66, Colour: Gray

**RAL:** 7032

### Business data

---

Article number	<u>28984.6</u>
Article name	KDS-DE-Z2K 8,0-8,7 GR
GTIN (EAN)	4044211247492
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	6 g
Weight per piece (including packaging)	6.2 g
Unit of weight	G
Customs number	39259020
Country of origin	DE
Product description	Sealing Element
Colour	Grey

### Technical data

#### Weitere Technische Daten

Cable diameter, max.	8.7 mm
Cable diameter, min.	8 mm
Degree of protection	IP66
Mounting type	Plug in
Number of wires	1
Retention capacity in Newton	15 N
Strain relief	1
Strain relief in Newton	42 N

#### Dimensions

Length	20.3 mm
Width	20.3 mm
Height	25 mm

#### Materials

Material	TPE / PA 6.6 GF
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	90 °C
Halogen-free	✓
Silicone-free	✓
UV-resistant	✓

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2024-01-23
REACH Candidate Substance Note	No
RoHS Conform	yes

## 28984.6 KDS-DE-Z2K 8,0-8,7 GR

---

### Approvals

---

#### Standards and regulations

---

Standards / specifications


EN 62444:2015-05

---

---

### Media

---



---

### Accessories

---